# Author Index

Adams, D., B.A. Julies, J.W. Mayer and T.L. Alford, The effect of metals (Au, Ag) and		of GaInP/GaAs triple barrier resonant tun- neling diodes grown by MOCVD	216 (2003) 413
oxidizing ambient on interfacial reactions		P. C CP P	
in Au/Si and Ag/Si systems	216 (2003) 163	Bae, C., G.B. Rayner and G. Lucovsky, Device-	
Aisaka, T., see Ishii, A.	216 (2003) 478	quality GaN-dielectric interfaces by	217 2002 110
Akae, N., see Mori, M.	216 (2003) 569	300 °C remote plasma processing	216 (2003) 119
Akahane, T., see Narita, Y.	216 (2003) 575	Bakarov, A.K., see Sulaimanov, A.K.	216 (2003) 625
Akahane, T., see Yasui, K.	216 (2003) 580	Bell, A., see Tomida, Y.	216 (2003) 502
Akane, T., S. Jinno, Y. Yang, T. Kuno, T. Hirata, Y. Isogai, N. Watanabe, Y. Fujiwara, A. Nakamura and Y. Takeda, AFM observation of OMVPE-grown ErP on InP substrates		Bell, A., see Tsuda, M. Bhuiyan, M.N.K., A. Matsuda, T. Yasumura, T. Tambo and C. Tatsuyama, Study of epitaxial SrTiO <sub>3</sub> (STO) thin films grown on Si(0 0 1)—	216 (2003) 585
using a new organometal tris(ethylcyclo-		2 × 1 substrates by molecular beam epitaxy	216 (2003) 590
pentadienyl)erbium (Er(EtCp);)	216 (2003) 537	Bhunia, S., see Kawamura, T.	216 (2003) 361
Akasaki, I., see Tomida, Y.	216 (2003) 502	Bhunia, S., T. Kawamura, Y. Watanabe, S.	
Akasaki, I., see Tsuda, M.	216 (2003) 585	Fujikawa, J. Matsui, Y. Kagoshima, Y. Tsu-	
Akazawa, H., Short-period Si/Si1, Ge, multi-		saka, K. Uchida, N. Sugiyama, M. Furiya,	
ple quantum wells: real-time spectro-ellip-		S. Nozaki and H. Morisaki, Real-time mea-	
sometric characterization during growth by		surement of rocking curves during MOVPE	217 (2002) 102
synchrotron-radiation-excited chemical-		growth of Ga,In <sub>1</sub> P/GaAs Braginsky, L.S., see Sulaimanov, A.K.	216 (2003) 382
beam epitaxy	216 (2003) 554	Braginsky, L.S., see Sulaimanov, A.K.	216 (2003) 625
Akimoto, K., see Aoyama, T.	216 (2003) 356	Chang, CY., and C.V. Trappey, The National	
Akimoto, K., see Emoto, T.	216 (2003) 83	Si-Soft Project	216 (2003) 2
Akimoto, K., see Ishizuka, S.	216 (2003) 94	Cheng, W., see Ohshima, I,	216 (2003) 246
Akiyama, T., and H. Kageshima, Microscopic mechanism of interfacial reaction during Si oxidation	216 (2002) 220	Chun, MS., T. Teraji and T. Ito, Interface formation and properties of α-NPD ther-	
Alford, T.L., see Adams, D.	216 (2003) 270 216 (2003) 163	mally deposited on CVD diamond films	216 (2003) 106
Amano, H., see Tomida, Y.	216 (2003) 502		
Amano, H., see Tsuda, M.	216 (2003) 585	Danno, K., see Kimoto, T.	216 (2003) 497
Amaratunga, G.A.J., see Yokoyama, Y.	216 (2003) 483	Doi, K., K. Nakamura and A. Tachibana, First-	
An, Z., M. Hirai, M. Kusaka and M. Iwami,	210 (2003) 403	principle theoretical study on the electronic	
Surface and interface study of Cu (film)/		properties of SiO2 models with hydroge-	*** **** ***
SiC (substrate) system	216 (2003) 169	nated impurities and charges	216 (2003) 463
Anantathanasam, S., and H. Hasegawa, Pinning-	210 (2000) 107	Doi, K., see Yoshida, S.	216 (2003) 141
free GaAs MIS structures with Si interface		Emoto, T., see Aoyama, T.	216 (2003) 356
control layers formed on (4 × 6) recon-		Emoto, T., Y. Yoshida, K. Akimoto, A. Ichi-	210 (2003) 330
structed (0 0 1) surface	216 (2003) 275	miya, S. Kikuchi, K. Itagaki and H. Namita,	
Aoki, T., see Gnatyuk, V.A.	216 (2003) 88	Lattice distortion near InGaP compound	
Aoyagi, E., see Takeyama, M.B.	216 (2003) 181	semiconductor surface due to surface treat-	
Aoyama, T., K. Akimoto, A. Ichimiya, Y.		ment of bias sputtering	216 (2003) 83
Hisada, S. Mukainakano, T. Emoto, H. Tajiri,		En, A., see Nakamura, S.	216 (2003) 113
T. Takahashi, H. Sugiyama, X. Zhang and H.		En, A., see Watanabe, D.	216 (2003) 24
Kawata, Structural study of SiC(0 0 0		Eriguchi, K., see Hayashi, S.	216 (2003) 228
1)3 × 3 surface by surface X-ray diffraction	216 (2003) 356		
Appel, G., see Lucovsky, G.	216 (2003) 215	Fujihira, K., see Kimoto, T.	216 (2003) 497
Asaoka, N., H. Funato, M. Suhara and T.		Fujii, S., S. Hino and T. Kobayashi, Improved	
Okumura, Fabrication and characterization		surface morphology of sulfur-doped homo-	

epitaxial diamond films by plasma CVD		Ni/SiC interface using scanning tunneling	
method with SF6 Grading-Doping profile	216 (2003) 596	microscopy	216 (2003) 54
Fujikawa, S., see Bhunia, S.	216 (2003) 382	Hattori, N., see Matsukawa, K.	216 (2003) 371
Fujikawa, S., see Kawamura, T.	216 (2003) 361	Hattori, T., see Hirose, K.	216 (2003) 351
Fujimoto, N., see Mori, M.	216 (2003) 569	Hattori, T., see Nishizaki, K.	216 (2003) 287
Fujino, T., see Tsushima, R.	216 (2003) 19	Hattori, T., see Nohira, H.	216 (2003) 234
Fujioka, H., see Ito, S.	216 (2003) 508	Hayashi, S., K. Yamamoto, Y. Harada, R. Mit-	
Fujiwara, K., see Ishii, A.	216 (2003) 478	suhashi, K. Eriguchi, M. Kubota and M.	
Fujiwara, N., see Ishizuka, S.	216 (2003) 94	Niwa, Comparison of thermal and plasma	
Fujiwara, Y., see Akane, T.	216 (2003) 537	oxidations for HfO <sub>2</sub> /Si interface	216 (2003) 228
Fujiwara, Y., see Koizumi, A.	216 (2003) 560	Heike, S., see Hashizume, T.	216 (2003) 15
Fujiwara, Y., Y. Nonogaki, R. Oga, A. Koizumi		Higuchi, M., see Ohshima, I.	216 (2003) 246
and Y. Takeda, Reactor structure depen-		Hikazutani, K., see Nishizaki, K.	216 (2003) 287
dence of interface abruptness in GaInAs/		Hinkle, C., and G. Lucovsky, Remote plasma-	
InP and GaInP/GaAs grown by organome-		assisted nitridation (RPN): applications to	
tallic vapor phase epitaxy	216 (2003) 564	Zr and Hf silicate alloys and Al <sub>2</sub> O <sub>3</sub>	216 (2003) 124
Fukuda, T., S. Maeda and H. Nakayama, Sto-		Hino, S., see Fujii, S.	216 (2003) 596
chastic motion of 7 × 7 kinks at monoa-	217 (2002) 20	Hirai, K., see Takahashi, I.	216 (2003) 239
tomic step edges on the Si(1 1 1) surface	216 (2003) 30	Hirai, M., J.P. Labis, A. Ohi, C. Kamezawa, Y.	
Fukuda, Y., see Hosono, T.	216 (2003) 620	Morikawa, K. Yoshida, M. Kusaka and M.	
Fukui, T., see Takahashi, H.	216 (2003) 402	Iwami, Nano-structure of transition-metal	
Fukumoto, S., see Nakamura, J.	216 (2003) 59	(Ti, Ni)/SiC system: photo-emission elec-	
Funaiwa, K., see Takahashi, I.	216 (2003) 239	tron microscopy and soft X-ray fluores-	216 (2002) 107
Funakubo, H., see Takahashi, K.	216 (2003) 296	cence spectroscopy	216 (2003) 187
Funato, H., see Asaoka, N. Furiya, M., see Bhunia, S.	216 (2003) 413 216 (2003) 382	Hirai, M., see An, Z. Hirai, M., see Hattori, N.	216 (2003) 169
Furukawa, Y., see Gruznev, D.	216 (2003) 382	Hirao, T., see Kimoto, T.	216 (2003) 54 216 (2003) 497
Purukawa, 1., see Gruzilev, D.	210 (2003) 33	Hirashita, N., see Oshima, M.	216 (2003) 497
Gilinsky, A.M., see Sulaimanov, A.K.	216 (2003) 625	Hirata, T., see Akane, T.	216 (2003) 537
Gnatyuk, V.A., T. Aoki and Y. Hatanaka, Laser-	210 (200.7) 02.7	Hiratani, M., K. Torii, Y. Shimamoto and SI.	210 (2003) 337
stimulated control of interfaces at grain		Saito, Built-in interface in high-k gate	
boundaries in polycrystalline Cd,Hg <sub>1-</sub> ,Te		stacks	216 (2003) 208
films	216 (2003) 88	Hirayama, M., see Ohshima, I.	216 (2003) 246
Gösele, U., see Wakayama, Y.	216 (2003) 419	Hirayama, M., see Takahashi, I.	216 (2003) 239
Goto, T., see Takahashi, I.	216 (2003) 239	Hirose, K., H. Kitahara and T. Hattori, Char-	MID (MODO) MOD
Gruznev, D., Y. Furukawa, M. Mori, T. Tambo,		acterization of dielectric properties of ultra-	
V.G. Lifshits and C. Tatsuyama, Study of Sb		thin SiO2 film formed on Si substrate	216 (2003) 351
adsorption on the Si(0 0 1)-In(4 × 3) sur-		Hisada, Y., see Aoyama, T.	216 (2003) 356
face	216 (2003) 35	Homma, T., see Takakuwa, Y.	216 (2003) 395
		Horiba, K., see Oshima, M.	216 (2003) 291
Haga, K., see Kubota, J.	216 (2003) 431	Hosono, T., M. Kuramoto, Y. Matsuzawa, Y.	
Hamada, M., T. Teraji and T. Ito, Field-induced		Momose, Y. Maeda, T. Matsuyama, H.	
effects of implanted Ga on high electric		Tatsuoka, Y. Fukuda, S. Hashimoto and	
field diamond devices fabricated by		H. Kuwabara, Formation of CaMgSi at	
focused ion beam	216 (2003) 65	Ca <sub>2</sub> Si/Mg <sub>2</sub> Si interface	216 (2003) 620
Harada, Y., see Hayashi, S.	216 (2003) 228	Hosoya, N., see Suda, Y.	216 (2003) 424
Harashima, M., see Narita, Y.	216 (2003) 575	Hsiao, CW., see Yeh, CF.	216 (2003) 46
Hasegawa, H., see Anantathanasarn, S.	216 (2003) 275		
Hasegawa, H., see Inagaki, T.	216 (2003) 519	Ichimiya, A., see Aoyama, T.	216 (2003) 356
Hasegawa, T., see Kotake, S.	216 (2003) 72	Ichimiya, A., see Emoto, T.	216 (2003) 83
Hashiba, M., see Yasui, K.	216 (2003) 580	Ikeda, H., see Nakatsuka, O.	216 (2003) 174
Hashimoto, S., see Hosono, T.	216 (2003) 620	Imai, K., see Sawada, T.	216 (2003) 192
Hashizume, T., H. Kajiyama, Y. Suwa, S.		Inagaki, T., T. Hashizume and H. Hasegawa,	
Heike, S. Matsuura, J. Nara and T. Ohno,		Effects of surface processing on 2DEG	
Adsorption of Si atom on H-terminated		current transport at AlGaN/GaN interface	
Si(0 0 1)-2 × 1 surface	216 (2003) 15	studied by gateless HFET structure	216 (2003) 519
Hashizume, T., see Inagaki, T.	216 (2003) 519	Inoue, K., see Koizumi, A.	216 (2003) 560
Hatanaka, Y., see Gnatyuk, V.A.	216 (2003) 88	Inoue, Y., see Tsujiuchi, M.	216 (2003) 329
Hattori, N., M. Hirai, M. Kusaka and M. Iwami,		Inubushi, T., see Narita, Y.	216 (2003) 575
Investigation of SiC clean surface and		Ipposhi, T., see Tsujiuchi, M.	216 (2003) 329

Ishida, F., see Takakuwa, Y.	216 (2003) 133	Kagiyama, T., Y. Saito, K. Otobe and S. Naka-	
Ishida, M., see Ueda, T.	216 (2003) 512	jima, Improvement of power performance	
Ishidzuka, S., see Takakuwa, Y.	216 (2003) 395	in planar type AlGaAs/GaAs MESFET by	
Ishii, A., First-principles study for molecular	217 (2002) 447	substrate surface oxidation	216 (2003) 542
beam epitaxial growth of GaN(0 0 0 1)	216 (2003) 447	Kagoshima, Y., see Bhunia, S.	216 (2003) 382
Ishii, A., K. Fujiwara and T. Aisaka, Dynamics		Kagoshima, Y., see Kawamura, T.	216 (2003) 361
of In atom during InAs/GaAs(0 0 1) growth	*** ***** ****	Kajiyama, H., see Hashizume, T.	216 (2003) 15
process	216 (2003) 478	Kakihana, M., see Nishida, K.	216 (2003) 312
Ishizuka, S., S. Kato, Y. Okamoto, T. Sakurai,		Kakihana, M., see Nishida, K.	216 (2003) 318
K. Akimoto, N. Fujiwara and H. Kobayashi,		Kakihana, M., see Nishida, K.	216 (2003) 323
Passivation of defects in polycrystalline		Kamakura, N., see Nishizaki, K.	216 (2003) 287
Cu <sub>2</sub> O thin films by hydrogen or cyanide	217 (2002) 04	Kamezawa, C., see Hirai, M.	216 (2003) 187
treatment	216 (2003) 94	Kamino, T., see Sato, K.	216 (2003) 376
Isogai, Y., see Akane, T.	216 (2003) 537	Kamiya, K., see Kotake, S.	216 (2003) 72
Itagaki, K., see Emoto, T.	216 (2003) 83	Kamiyama, S., see Tomida, Y.	216 (2003) 502
Itakura, A.N., M. Shimoda and M. Kitajima,		Kamiyama, S., see Tsuda, M.	216 (2003) 585
Surface stress relaxation in SiO <sub>2</sub> films by		Kang, MG., see Park, SW.	216 (2003) 98
plasma nitridation and nitrogen distribution	****	Kangawa, Y., see Ito, T.	216 (2003) 458
in the film	216 (2003) 41	Kangawa, Y., see Kotake, S.	216 (2003) 72
Ito, S., H. Fujioka, J. Ohta, A. Sasaki, J. Liu, M.		Kangawa, Y., T. Ito, Y. Kumagai and A. Kou-	
Yoshimoto, H. Koinuma and M. Oshima,		kitu, Thermodynamic study on composi-	
Low-temperature growth of AlN on nearly		tional instability of InGaN/GaN and	
lattice-matched MnO substrates	216 (2003) 508	InGaN/InN during MBE	216 (2003) 453
Ito, T., K. Nakamura, Y. Kangawa, K. Shiraishi,		Kashiwaba, Y., see Kubota, J.	216 (2003) 431
A. Taguchi and H. Kageshima, Systematic		Kashiwagi, I., see Ohshima, C.	216 (2003) 302
theoretical investigations of miscibility in		Katayama, M., see Tsushima, R.	216 (2003) 19
$Si_{1-x-y}Ge_xC_y$ , thin films	216 (2003) 458	Kato, S., see Ishizuka, S.	216 (2003) 94
Ito, T., see Chun, MS.	216 (2003) 106	Katoda, T., see Nishida, K.	216 (2003) 312
Ito, T., see Hamada, M.	216 (2003) 65	Katoda, T., see Nishida, K.	216 (2003) 318
Ito, T., see Kangawa, Y.	216 (2003) 453	Katoda, T., see Nishida, K.	216 (2003) 323
Ito, T., see Kotake, S.	216 (2003) 72	Kawamura, T., S. Bhunia, Y. Watanabe, S.	
Ito, T., see Nakamura, J.	216 (2003) 59	Fujikawa, J. Matsui, Y. Kagoshima and Y.	
Itoh, H., see Maekawa, M.	216 (2003) 365	Tsusaka, In situ observation of step-terrace	
Itoi, T., see Takeyama, M.B.	216 (2003) 181	structures on MOVPE grown InP(0 0 1) by	
Iwai, H., see Nohira, H.	216 (2003) 234	using grazing X-ray scattering	216 (2003) 361
Iwai, H., see Ohshima, C.	216 (2003) 302	Kawamura, T., see Bhunia, S.	216 (2003) 382
Iwamatsu, T., see Tsujiuchi, M.	216 (2003) 329	Kawasuso, A., see Maekawa, M.	216 (2003) 365
Iwami, M., see An, Z.	216 (2003) 169	Kawata, H., see Aoyama, T.	216 (2003) 356
Iwami, M., see Hattori, N.	216 (2003) 54	Kawawa, T., see Takakuwa, Y.	216 (2003) 133
Iwami, M., see Hirai, M.	216 (2003) 187	Kikuchi, S., see Emoto, T.	216 (2003) 83
Iwasaki, S., and K. Yamaguchi, Shape transi-		Kim, H., see Jung, SB.	216 (2003) 156
tion of InAs from two-dimensional islands		Kim, HC., see Park, SW.	216 (2003) 98
to three-dimensional dots by annealing	216 (2003) 407	Kim, SW., see Sawada, T.	216 (2003) 192
Iwase, M., see Sato, K.	216 (2003) 376	Kim, W.S., see Yang, JK.	216 (2003) 203
Izumi, T., see Sato, K.	216 (2003) 376	Kimoto, T., T. Hirao, K. Fujihira, H. Kosugi,	
Izumi, Y., see Sawada, T.	216 (2003) 192	K. Danno and H. Matsunami, Epitaxial	
		growth of 4H-SiC(0 3 3 8) and control of	
Jinbo, Y., see Uchitomi, N.	216 (2003) 607	MOS interface	216 (2003) 497
Jinno, S., see Akane, T.	216 (2003) 537	Kimura, K., and K. Nakajima, Compositional	
Julies, B.A., see Adams, D.	216 (2003) 163	transition layer in SiO2/Si interface	
Jung, HS., and HH. Park, Correlation between		observed by high-resolution RBS	216 (2003) 283
deposition parameters and structural modi-		Kimura, K., see Oshima, M.	216 (2003) 291
fication of amorphous carbon nitride (a-CN,)		Kimura, N., see Sawada, T.	216 (2003) 192
film in magnetron sputtering	216 (2003) 149	Kimura, T., see Takahashi, K.	216 (2003) 296
Jung, SB., HH. Park and H. Kim, The role of		Kinoshita, H., see Tomida, Y.	216 (2003) 502
vacuum ultraviolet in H2 plasma treatment		Kitagawa, I., and T. Maruizumi, New intrinsic	
on SiO2 aerogel film	216 (2003) 156	pair defects in silicon dioxide interface	216 (2003) 264
Jung, SB., see Park, SW.	216 (2003) 98	Kitagawa, I., see Ohashi, T.	216 (2003) 340
Kageshima, H., see Akiyama, T.	216 (2003) 270	Kitahara, H., see Hirose, K.	216 (2003) 351

### Author Index

Kiyohara, M., see Kubo, K.	216 (2003) 307	Liu, R., see Tsuda, M.	216 (2003) 585
Kobayashi, H., see Ishizuka, S.	216 (2003) 94	Lucovsky, G., B. Rayner, Y. Zhang, G. Appel	
Kobayashi, K., see Nishizaki, K.	216 (2003) 287	and J. Whitten, Band offset energies in	
Kobayashi, T., see Fujii, S.	216 (2003) 596	zirconium silicate Si alloys	216 (2003) 215
Kobayashi, T., see Oda, Y.	216 (2003) 532	Lucovsky, G., see Bae, C.	216 (2003) 119
Kobayashi, T., see Satoh, I.	216 (2003) 603	Lucovsky, G., see Hinkle, C.	216 (2003) 124
Kochiya, T., Y. Oyama, K. Suto and JI. Nishi-			
zawa, Anisotropy of lateral growth rate in		Maeda, K., Process-induced defects and poten-	
liquid phase epitaxy of {0 0 1} InP	216 (2003) 78	tial distribution in nearly ideal Au/Si	
Kohira, M., Y. Souno, T. Matsuyama, H. Tat-		Schottky barriers	216 (2003) 198
suoka, I.J. Ohsugi, I.A. Nishida and H.		Maeda, S., see Fukuda, T.	216 (2003) 30
Kuwabara, Growth of β-FeSi <sub>2</sub> on MnSi <sub>1.7</sub>		Maeda, Y., see Hosono, T.	216 (2003) 620
layers by reactive deposition epitaxy	216 (2003) 614	Maegawa, S., see Tsujiuchi, M.	216 (2003) 329
Kohyama, M., see Tanaka, S.	216 (2003) 471	Maekawa, M., A. Kawasuso, M. Yoshikawa	
Koinuma, H., see Ito, S.	216 (2003) 508	and H. Itoh, SiO <sub>2</sub> /SiC interface proved by	*** ****
Koizumi, A., see Fujiwara, Y.	216 (2003) 564	positron annihilation	216 (2003) 365
Koizumi, A., Y. Fujiwara, K. Inoue, T. Yoshi-		Maruizumi, T., see Kitagawa, I.	216 (2003) 264
kane, A. Urakami and Y. Takeda, Growth		Maruizumi, T., see Ohashi, T.	216 (2003) 340
sequence dependence of GaAs-on-GaInP		Maruizumi, T., see Ushio, J.	216 (2003) 258
interface characteristics in GaAs/GaInP/		Mashiko, Y., see Matsukawa, K.	216 (2003) 371
GaAs structures grown by low-pressure		Masui, T., see Kotake, S.	216 (2003) 72
organometallic vapor phase epitaxy	216 (2003) 560	Matsuda, A., see Bhuiyan, M.N.K.	216 (2003) 590
Kosugi, H., see Kimoto, T.	216 (2003) 497	Matsui, J., see Bhunia, S.	216 (2003) 382
Kotake, S., T. Hasegawa, K. Kamiya, Y. Suzuki,		Matsui, J., see Kawamura, T.	216 (2003) 361
T. Masui, Y. Kangawa, K. Nakamura and T.		Matsukawa, K., H. Naruoka, N. Hattori and Y.	
Ito, Effect of Ni-Cu substrates on phase		Mashiko, Study of Cu and Co gettering	
selection of hexagonal and cubic boron		mechanism using radioactive isotope tra-	*** **** ***
nitride thin films	216 (2003) 72	cers	216 (2003) 371
Koukitu, A., see Kangawa, Y.	216 (2003) 453	Matsunami, H., see Kimoto, T.	216 (2003) 497
Kratzer, P., E. Penev and M. Scheffler, Under-		Matsuura, S., see Hashizume, T.	216 (2003) 15
standing the growth mechanisms of GaAs		Matsuyama, T., see Hosono, T.	216 (2003) 620
and InGaAs thin films by employing first-	217 (2002) 127	Matsuyama, T., see Kohira, M.	216 (2003) 614
principles calculations	216 (2003) 436	Matsuzawa, Y., see Hosono, T.	216 (2003) 620
Kubo, K., M. Kiyohara, K. Shimoyama and K.		Matuoka, G., see Nishida, K.	216 (2003) 318
Yamabe, Si/SiO <sub>2</sub> interface attack during		Mayer, J.W., see Adams, D.	216 (2003) 163
metal oxide growth under low oxygen pres-	214 (2002) 202	Mihaila, A., see Yokoyama, Y.	216 (2003) 483
Sure	216 (2003) 307	Miki, K., see Suda, Y.	216 (2003) 424
Kubota, J., K. Haga, Y. Kashiwaba, H. Wata-		Mitsuhashi, R., see Hayashi, S.	216 (2003) 228
nabe, B.P. Zhang and Y. Segawa, Charac-		Miyazaki, S., M. Narasaki, A. Suyama, M.	
teristics of ZnO whiskers prepared from	216 (2003) 431	Yamaoka and H. Murakami, Electronic	
organic-zinc		structure and energy band offsets for ultra-	314 (2002) 343
Kubota, M., see Hayashi, S.	216 (2003) 228	thin silicon nitride on Si(1 0 0)	216 (2003) 252
Kumagai, Y., see Kangawa, Y. Kumigashira, H., see Oshima, M.	216 (2003) 453	Miyazaki, S., see Yamaoka, M. Miyoshi, Y., see Takahashi, H.	216 (2003) 223
Kuno, T., see Akane, T.	216 (2003) 291	Mizuno, Y., see Takahashi, H. Mizuno, Y., see Takakuwa, Y.	216 (2003) 402
Kuramoto, M., see Hosono, T.	216 (2003) 537	Mohan, P., see Takahashi, H.	216 (2003) 395
Kusaka, M., see An, Z.	216 (2003) 620	Monose, Y., see Hosono, T.	216 (2003) 402 216 (2003) 620
Kusaka, M., see Hattori, N.	216 (2003) 169	Mori, M., N. Akae, K. Uotani, N. Fujimoto, T.	210 (2003) 020
	216 (2003) 54		
Kusaka, M., see Hirai, M.	216 (2003) 187	Tambo and C. Tatsuyama, Heteroepitaxial	
Kushida-Abdelghafar, K., see Ushio, J. Kuwabara, H., see Hosono, T.	216 (2003) 258	growth of InSb films on a Si(0 0 1) substrate via AlSb buffer layer	216 (2002) 860
Kuwabara, H., see Hosono, I. Kuwabara, H., see Kohira, M.	216 (2003) 620 216 (2003) 614	Mori, M., see Gruznev, D.	216 (2003) 569
			216 (2003) 35
Kyouzu, H., see Tabuchi, M.	216 (2003) 526	Morikawa, Y., see Hirai, M.	216 (2003) 187
Labis, J.P., see Hirai, M.	216 (2002) 192	Morisaki, H., see Bhunia, S.	216 (2003) 382
Lee, WS., see Yeh, CF.	216 (2003) 187	Moritani K. see Sato, K.	216 (2003) 376
	216 (2003) 46	Moritani, K., see Teraoka, Y.	216 (2003) 8
Li, X., see Yokoyama, Y. Lifshits, V.G., see Gruznev, D.	216 (2003) 483	Moritani, K., see Yoshigoe, A.	216 (2003) 388
Liu, J., see Ito, S.	216 (2003) 35	Motohisa, J., see Takahashi, H.	216 (2003) 402
Liu, R., see Tomida, Y.	216 (2003) 508	Mukainakano, S., see Aoyama, T.	216 (2003) 356
Lita, K., See Tollinga, I.	216 (2003) 502	Murakami, H., see Miyazaki, S.	216 (2003) 252

Murakami, H., see Nakamura, J.	216 (2003) 59	Nohira, H., T. Shiraishi, T. Nakamura, K. Taka-	
Murakami, H., see Yamaoka, M.	216 (2003) 223	hashi, M. Takeda, S. Ohmi, H. Iwai and T. Hattori, Chemical and electronic structures	
Nakajima, F., see Takahashi, H.	216 (2003) 402	of Lu-O/Si interfacial transition layer	216 (2003) 234
Nakajima, K., see Kimura, K.	216 (2003) 283	Nonogaki, Y., see Fujiwara, Y.	216 (2003) 564
Nakajima, S., see Kagiyama, T.	216 (2003) 542	Noya, A., see Takeyama, M.B.	216 (2003) 181
Nakamura, A., see Akane, T.	216 (2003) 537	Nozaki, S., see Bhunia, S.	216 (2003) 382
Nakamura, J., S. Fukumoto, T. Teraji, H. Mur-	210 (2003) 331	Tracements of the second second second	210 (2000) 200
akami and T. Ito, Hydrogen-related struc-		Oda, Y., N. Watanabe, H. Yokoyama and T.	
tural changes on CVD diamond (1 0 0)		Kobayashi, Growth mechanism in heavily	
surfaces by ultra-high-vacuum annealing	216 (2003) 59	carbon-doped GaAs,Sb <sub>1</sub> , grown by	
Nakamura, K., see Doi, K.	216 (2003) 463	MOCVD	216 (2003) 532
Nakamura, K., see Ito, T.	216 (2003) 458	Oga, R., see Fujiwara, Y.	216 (2003) 564
Nakamura, K., see Kotake, S.	216 (2003) 72	Oh, JH., see Oshima, M.	216 (2003) 291
Nakamura, K., see Oshima, M.	216 (2003) 291	Ohashi, T., M. Sato, T. Maruizumi and I. Kita-	210 (2002) 271
Nakamura, K., see Yoshida, S.	216 (2003) 141	gawa, Simulation of dislocation accumula-	
Nakamura, S., D. Watanabe, A. En, M. Suhara	210 (2003) 141	tion in ULSI cells with STI structure	216 (2003) 340
and T. Okumura, Contactless electrical		Ohi, A., see Hirai, M.	216 (2003) 187
characterization of surface and interface		Ohmi, S., see Nohira, H.	216 (2003) 234
of SOI materials	216 (2003) 113	Ohmi, S., see Ohshima, C.	216 (2003) 302
	216 (2003) 113	Ohmi, T., see Ohshima, I.	216 (2003) 246
Nakamura, S., see Watanabe, D.	216 (2003) 234	Ohmi, T., see Takahashi, I.	216 (2003) 239
Nakamura, T., see Nohira, H.	210 (2003) 234	Ohno, T., see Hashizume, T.	216 (2003) 15
Nakatsuka, O., H. Onoda, E. Okada, H. Ikeda,		Ohno, T., Y. Oyama, K. Tezuka, K. Suto and J	210 (2003) 13
A. Sakai, S. Zaima and Y. Yasuda, Effect of		i. Nishizawa, Area-selective regrowth fol-	
Al interlayers on two-step epitaxial growth	216 (2002) 174	lowed by AsH <sub>3</sub> surface treatment and its	
of CoSi <sub>2</sub> on Si(1 0 0)	216 (2003) 174	application for ultra-shallow GaAs sidewall	
Nakayama, H., see Fukuda, T.	216 (2003) 30	tunnel junctions	216 (2003) 549
Nakayama, M., see Takahashi, K.	216 (2003) 296	Ohshima, C., J. Taguchi, I. Kashiwagi, H.	210 (2003) 547
Namita, H., see Emoto, T.	216 (2003) 83	Yamamoto, S. Ohmi and H. Iwai, Effect	
Nara, J., see Hashizume, T.	216 (2003) 15	of surface treatment of Si substrates and	
Narasaki, M., see Miyazaki, S.	216 (2003) 252	annealing condition on high-k rare earth	
Narita, Y., T. Inubushi, M. Harashima, K. Yasui			216 (2003) 302
and T. Akahane, Initial stage of 3C-SiC		oxide gate dielectrics	210 (2003) 302
growth on Si(0 0 1)-2 $\times$ 1 surface using	217 -2002 - 525	Ohshima, I., W. Cheng, Y. Ono, M. Higuchi, M.	
monomethylsilane	216 (2003) 575	Hirayama, A. Teramoto, S. Sugawa and T.	
Naruoka, H., see Matsukawa, K.	216 (2003) 371	Ohmi, Reliability of silicon nitride gate	
Naruoka, H., see Tsujiuchi, M.	216 (2003) 329	dielectrics grown at 400 °C formed by	216 (2002) 246
Nishida, I.A., see Kohira, M.	216 (2003) 614	microwave-excited high-density plasma	216 (2003) 246
Nishida, K., G. Matuoka, M. Osada, M. Kaki-		Ohsugi, I.J., see Kohira, M.	216 (2003) 614
hana and T. Katoda, Effects of the substrate	217 -2002 210	Ohta, J., see Ito, S.	216 (2003) 508
on properties of PTO thin film	216 (2003) 318	Okada, E., see Nakatsuka, O.	216 (2003) 174
Nishida, K., K. Shirakata, M. Osada, M. Kaki-		Okamoto, Y., see Ishizuka, S.	216 (2003) 94
hana and T. Katoda, Growth mechanism of		Okano, K., see Yokoyama, Y.	216 (2003) 483
PTO on MgO at initial stage	216 (2003) 323	Okumura, T., see Asaoka, N.	216 (2003) 413
Nishida, K., T. Sugino, M. Osada, M. Kakihana		Okumura, T., see Nakamura, S.	216 (2003) 113
and T. Katoda, An orientation ratio and		Okumura, T., see Watanabe, D.	216 (2003) 24
ferroelectric properties of ultra-thin PTO	*** **** ***	Okuno, T., see Tsushima, R.	216 (2003) 19
films	216 (2003) 312	Ono, K., see Oshima, M.	216 (2003) 291
Nishizaki, K., H. Nohira, K. Takahashi, N.		Ono, Y., see Ohshima, I.	216 (2003) 246
Kamakura, Y. Takata, S. Shin, K. Kobaya-		Onoda, H., see Nakatsuka, O.	216 (2003) 174
shi, N. Tamura, K. Hikazutani and T. Hat-		Osada, M., see Nishida, K.	216 (2003) 312
tori, Depth profiling of oxynitride film		Osada, M., see Nishida, K.	216 (2003) 318
formed on Si(1 0 0) by photon energy		Osada, M., see Nishida, K.	216 (2003) 323
dependent photoelectron spectroscopy	216 (2003) 287	Oshima, M., K. Kimura, K. Ono, K. Horiba, K.	
Nishizawa, JI., see Kochiya, T.	216 (2003) 78	Nakamura, H. Kumigashira, JH. Oh, M.	
Nishizawa, Ji., see Ohno, T.	216 (2003) 549	Niwa, K. Usuda and N. Hirashita, Interfa-	
Nitta, S., see Tomida, Y.	216 (2003) 502	cial chemistry and structures of ultrathin Si	
Niwa, M., see Hayashi, S.	216 (2003) 228	oxynitride films	216 (2003) 291
Niwa, M., see Oshima, M.	216 (2003) 291	Oshima, M., see Ito, S.	216 (2003) 508 216 (2003) 490
Nohira, H., see Nishizaki, K.	216 (2003) 287	Oshiyama, A., see Otani, M.	

Otani, M., K. Shiraishi and A. Oshiyama, The- oretical study on stable structures and dif-		Suda, Y., N. Hosoya and K. Miki, Si submo- nolayer and monolayer digital growth	
	216 (2003) 490	operation techniques using Si-H <sub>0</sub> as atom-	
fusion mechanisms of B in SiO <sub>2</sub>	216 (2003) 490	ically controlled growth nanotechnology	216 (2003) 424
Otani, S., see Tomida, Y.		Sugawa, S., see Ohshima, I.	216 (2003) 424
Otobe, K., see Kagiyama, T.	216 (2003) 542	Sugawa, S., see Takahashi, I.	
Oura, K., see Tsushima, R.	216 (2003) 19		216 (2003) 239
Oyama, Y., see Kochiya, T.	216 (2003) 78	Sugino, T., see Nishida, K.	216 (2003) 312
Oyama, Y., see Ohno, T.	216 (2003) 549	Sugiyama, H., see Aoyama, T.	216 (2003) 356
	216 (2002) 140	Sugiyama, N., see Bhunia, S.	216 (2003) 382
Park, HH., see Jung, HS.	216 (2003) 149	Suhara, M., see Asaoka, N.	216 (2003) 413
Park, HH., see Jung, SB.	216 (2003) 156	Suhara, M., see Nakamura, S.	216 (2003) 113
Park, HH., see Park, SW.	216 (2003) 98	Suhara, M., see Watanabe, D.	216 (2003) 24
Park, HH., see Yang, JK.	216 (2003) 203	Sulaimanov, A.K., L.S. Braginsky, A.M.	
Park, SW., SB. Jung, MG. Kang, HH.		Gilinsky, A.I. Toropov, A.K. Bakarov and	
Park and HC. Kim, Modification of GaAs		K.S. Zhuravlev, Decay rates of exciton and	
and copper surface by the formation of SiO <sub>2</sub>		phonon-assisted recombination in asym-	****
aerogel film as an interlayer dielectric	216 (2003) 98	metric GaAs/AlAs type II superlattices	216 (2003) 625
Penev, E., see Kratzer, P.	216 (2003) 436	Suto, K., see Kochiya, T.	216 (2003) 78
Ponce, F.A., see Tomida, Y.	216 (2003) 502	Suto, K., see Ohno, T.	216 (2003) 549
Ponce, F.A., see Tsuda, M.	216 (2003) 585	Suwa, Y., see Hashizume, T.	216 (2003) 15
		Suyama, A., see Miyazaki, S.	216 (2003) 252
Rayner, B., see Lucovsky, G.	216 (2003) 215	Suzuki, K., see Sawada, T.	216 (2003) 192
Rayner, G.B., see Bae, C.	216 (2003) 119	Suzuki, T., see Sawada, T.	216 (2003) 192
		Suzuki, Y., see Kotake, S.	216 (2003) 72
Saito, SI., see Hiratani, M.	216 (2003) 208		
Saito, Y., see Kagiyama, T.	216 (2003) 542	Tabuchi, M., H. Kyouzu, M. Takemi and Y.	
Sakai, A., see Nakatsuka, O.	216 (2003) 174	Takeda, Composition dependence of InP/	
Sakurai, H., see Takahashi, I.	216 (2003) 239	Ga, In1 As, P1 /InP interface structures	
Sakurai, T., see Ishizuka, S.	216 (2003) 94	analyzed by X-ray CTR scattering measure-	
Sasaki, A., see Ito, S.	216 (2003) 508	ments	216 (2003) 526
Sato, K., T. Izumi, M. Iwase, Y. Show, H.		Tachibana, A., see Doi, K.	216 (2003) 463
Morisaki, T. Yaguchi and T. Kamino,		Tachibana, A., see Yoshida, S.	216 (2003) 141
Nucleation and growth of nanocrystalline		Taguchi, A., see Ito, T.	216 (2003) 458
silicon studied by TEM, XPS and ESR	216 (2003) 376	Taguchi, J., see Ohshima, C.	216 (2003) 302
Sato, M., see Ohashi, T.	216 (2003) 340	Tajiri, H., see Aoyama, T.	216 (2003) 356
Sato, S., see Uchitomi, N.	216 (2003) 607	Takahashi, H., and H. Yamada-Kaneta, Impro-	
Satoh, I., and T. Kobayashi, Magnetic and		vement of hot-carrier-reliability by deuter-	
optical properties of novel magnetic semi-		ium termination of Si/SiO2 interface	
conductor Cr-doped ZnO and its applica-		defects	216 (2003) 347
tion to all oxide p-i-n diode	216 (2003) 603	Takahashi, H., Y. Miyoshi, F. Nakajima, P.	
Sawada, T., Y. Izumi, N. Kimura, K. Suzuki, K.		Mohan, J. Motohisa and T. Fukui, Formation	
Imai, SW. Kim and T. Suzuki, Properties		and characteristics of 100-nm scale GaAs	
of GaN and AlGaN Schottky contacts		quantum wires by selective area MOVPE	216 (2003) 402
revealed from I-V-T and C-V-T measure-		Takahashi, I., H. Sakurai, A. Yamada, K.	
ments	216 (2003) 192	Funaiwa, K. Hirai, S. Urabe, T. Goto, M.	
Scheffler, M., see Kratzer, P.	216 (2003) 436	Hirayama, A. Teramoto, S. Sugawa and T.	
Segawa, Y., see Kubota, J.	216 (2003) 431	Ohmi, Oxygen radical treatment applied to	
Sheng, K., see Yokoyama, Y.	216 (2003) 483	ferroelectric thin films	216 (2003) 239
Shimamoto, Y., see Hiratani, M.	216 (2003) 208	Takahashi, K., M. Nakayama, S. Yokoyama, T.	
Shimoda, M., see Itakura, A.N.	216 (2003) 41	Kimura, E. Tokumitsu and H. Funakubo,	
Shimoyama, K., see Kubo, K.	216 (2003) 307	Preparation of hafnium oxide films from	
Shin, S., see Nishizaki, K.	216 (2003) 287	oxygen-free Hf[N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ] <sub>4</sub> precursor and	
Shindo, M., see Tsushima, R.	216 (2003) 19	their properties	216 (2003) 296
Shiraishi, K., see Ito, T.	216 (2003) 458	Takahashi, K., see Nishizaki, K.	216 (2003) 287
Shiraishi, K., see Otani, M.	216 (2003) 490	Takahashi, K., see Nohira, H.	216 (2003) 234
Shiraishi, T., see Nohira, H.	216 (2003) 234	Takahashi, T., see Aoyama, T.	216 (2003) 356
Shirakata, K., see Nishida, K.	216 (2003) 234	Takakuwa, Y., F. Ishida and T. Kawawa, Phase	210 (2003) 330
Show, Y., see Sato, K.	216 (2003) 325	transition from Langmuir-type adsorption	
Sokolov, L.V., see Wakayama, Y.	216 (2003) 376	to two-dimensional oxide island growth	
Souno, Y., see Wakayama, 1.	216 (2003) 419	during oxidation on Si(0 0 1) surface	216 (2003) 133
county to see nomina vi.	210 (2003) 014	Julia Unitation on Sito o 17 surface	210 (2003) 133

Takakuwa, Y., S. Ishidzuka, A. Yoshigoe, Y.		Inoue, Thickness dependent integrity of	
Teraoka, Y. Yamauchi, Y. Mizuno, H.		gate oxide on SOI	216 (2003) 329
Tonda and T. Homma, Real-time monitor-		Tsusaka, Y., see Bhunia, S.	216 (2003) 382
ing of oxidation on the Ti(0 0 0 1) surface		Tsusaka, Y., see Kawamura, T.	216 (2003) 361
by synchrotron radiation photoelectron		Tsushima, R., M. Katayama, T. Fujino, M.	
spectroscopy and RHEED-AES	216 (2003) 395	Shindo, T. Okuno and K. Oura, Tempera-	
Takata, Y., see Nishizaki, K.	216 (2003) 287	ture dependence of flat Ge/Si(0 0 1) hetero-	
Takeda, M., see Nohira, H.	216 (2003) 234	structures as observed by CAICISS	216 (2003) 19
	216 (2003) 537	Machiner as Substitute by Comment	
Takeda, Y., see Akane, T. Takeda, Y., see Fujiwara, Y.	216 (2003) 564	Uchida, K., see Bhunia, S.	216 (2003) 382
	216 (2003) 560	Uchitomi, N., S. Sato and Y. Jinbo, Growth and	
Takeda, Y., see Koizumi, A.	216 (2003) 526	annealing effect of ferromagnetic (Ga, Mn)	
Takeda, Y., see Tabuchi, M.	216 (2003) 526	As on Si(1 0 0) substrates	216 (2003) 607
Takemi, M., see Tabuchi, M.	210 (2007) 220	Udrea, F., see Yokoyama, Y.	216 (2003) 483
Takeyama, M.B., T. Itoi, E. Aoyagi and A.		Ueda, T., M. Ishida and M. Yuri, Laser lift-off of	
Noya, Diffusion barrier properties of nano-crystalline TiZrN films in Cu/Si con-		very thin AlGaN film from sapphire using	
	216 (2003) 181	selective decomposition of GaN interlayer	216 (2003) 512
tact systems	216 (2003) 590	Umeda, H., see Tsujiuchi, M.	216 (2003) 329
Tambo, T., see Bhuiyan, M.N.K.	216 (2003) 35	Uotani, K., see Mori, M.	216 (2003) 569
Tambo, T., see Gruznev, D.	216 (2003) 569	Urahe, S., see Takahashi, I.	216 (2003) 239
Tambo, T., see Mori, M.	216 (2003) 287	Urakami, A., see Koizumi, A.	216 (2003) 560
Tamura, N., see Nishizaki, K.	210 (2003) 207	Ushio, J., K. Watanabe, K. Kushida-Abdelghafar	210 (2002) 200
Tanaka, S., and M. Kohyama, Ab initio study of		and T. Maruizumi, The role of hydrogen	
3C-SiC/M (M = Ti or Al) nano-hetero	216 (2002) 471	migration in negative-bias temperature	
interfaces	216 (2003) 471 216 (2003) 620	instability	216 (2003) 258
Tatsuoka, H., see Hosono, T.		Usuda, K., see Oshima, M.	216 (2003) 291
Tatsuoka, H., see Kohira, M.	216 (2003) 614	Country, N., See Continue, 1912	
Tatsuyama, C., see Bhuiyan, M.N.K.	216 (2003) 590	Wakayama, Y., L.V. Sokolov, N. Zakharov, P.	
Tatsuyama, C., see Gruznev, D.	216 (2003) 35 216 (2003) 569	Werner and U. Gösele, Precise control of size	
Tatsuyama, C., see Mori, M.		and density of self-assembled Ge dot on Si(10	
Teraji, T., see Chun, MS.	216 (2003) 106	by carbon-induced strain-engineering	216 (2003) 419
Teraji, T., see Hamada, M.	216 (2003) 65	Watanabe, D., A. En, S. Nakamura, M. Suhara	210 (2005) 411
Teraji, T., see Nakamura, J.	216 (2003) 59	and T. Okumura, Anomalously large band-	
Teramoto, A., see Ohshima, I.	216 (2003) 246	bending for HF-treated p-Si surfaces	216 (2003) 24
Teramoto, A., see Takahashi, I.	216 (2003) 239	Watanabe, D., see Nakamura, S.	216 (2003) 113
Teraoka, Y., K. Moritani and A. Yoshigoe,		Watanabe, H., see Kubota, J.	216 (2003) 431
Coexistence of passive and active oxidation		Watanabe, K., see Tsuda, M.	216 (2003) 585
for O <sub>2</sub> /Si(0 0 1) system observed by SiO		Watanabe, K., see Ushio, J.	216 (2003) 258
mass spectrometry and synchrotron radia-	216 (2003) 8	Watanabe, N., see Akane, T.	216 (2003) 537
tion photoemission spectroscopy		Watanabe, N., see Oda, Y.	216 (2003) 532
Teraoka, Y., see Takakuwa, Y.	216 (2003) 395	Watanabe, Y., see Bhunia, S.	216 (2003) 382
Teraoka, Y., see Yoshigoe, A.	216 (2003) 388	Watanabe, Y., see Kawamura, T.	216 (2003) 361
Tezuka, K., see Ohno, T.	216 (2003) 549	Werner, P., see Wakayama, Y.	216 (2003) 419
Tokumitsu, E., see Takahashi, K.	216 (2003) 296	Whitten, J., see Lucovsky, G.	216 (2003) 215
Tomida, Y., S. Nitta, S. Kamiyama, H. Amano,		Willien, J., see Lucovsky, G.	210 (2000) 210
I. Akasaki, S. Otani, H. Kinoshita, R. Liu,		Yaguchi, T., see Sato, K.	216 (2003) 376
A. Bell and F.A. Ponce, Growth of GaN on		Yamabe, K., see Kubo, K.	216 (2003) 307
ZrB2 substrate by metal-organic vapor	217 (2002) 502	Yamada, A., see Takahashi, L.	216 (2003) 239
phase epitaxy	216 (2003) 502	Yamada-Kaneta, H., see Takahashi, H.	216 (2003) 347
Tonda, H., see Takakuwa, Y.	216 (2003) 395	Yamaguchi, K., see Iwasaki, S.	216 (2003) 407
Torii, K., see Hiratani, M.	216 (2003) 208	Yamamoto, H., see Ohshima, C.	216 (2003) 302
Toropov, A.I., see Sulaimanov, A.K.	216 (2003) 625	Yamamoto, K., see Hayashi, S.	216 (2003) 228
Traikovic, T., see Yokoyama, Y.	216 (2003) 483	Yamamoto, N., All-optical circular polarization	210 (2000) 220
Trappey, C.V., see Chang, CY.	216 (2003) 2	switching phenomenon observed in photo	
Tsuda, M., K. Watanabe, S. Kamiyama, H.		chemically etched silicon	216 (2003) 334
Amano, I. Akasaki, R. Liu, A. Bell and			210 (2000) 553
F. A. Ponce, Mechanism of H <sub>2</sub> pre-anneal-		Yamaoka, M., H. Murakami and S. Miyazaki, Diffusion and incorporation of Zr into ther-	
ing on the growth of GaN on sapphire by	217 (2002) 505		216 (2003) 223
MOVPE	216 (2003) 585	mally grown SiO <sub>2</sub> on Si(1 0 0) Yamaoka, M., see Miyazaki, S.	216 (2003) 252
Tsujiuchi, M., T. Iwamatsu, H. Naruoka, H.		Yamaoka, M., see Miyazaki, S. Yamauchi, Y., see Takakuwa, Y.	216 (2003) 395
Umeda, T. Ipposhi, S. Maegawa and Y.		Taillauciii, 1., see Takakuwa, 1.	210 (2000) 570

Yang, JK., W.S. Kim and HH. Park, Inter- face-controlled Gd <sub>2</sub> O <sub>2</sub> /GaAs system for ferroelectric memory application	216 (2003) 203	Yoshida, S., K. Doi, K. Nakamura and A. Tachibana, Theoretical study on the initial processes of nitridation of silicon thin film	216 (2003) 141
Yang, Y., see Akane, T.	216 (2003) 537	Yoshida, Y., see Emoto, T.	216 (2003) 83
Yasuda, Y., see Nakatsuka, O.	216 (2003) 174	Yoshigoe, A., K. Moritani and Y. Teraoka, Real	
Yasui, K., M. Hashiba and T. Akahane, Radio		time observation of initial thermal oxida-	
frequency power dependence of the char- acteristics of 3C-SiC on Si grown by triode		tion using O <sub>2</sub> gas on Si(0 0 1) surface by means of synchrotron radiation Si-2p	
plasma CVD using dimethylsilane	216 (2003) 580	photoemission spectroscopy	216 (2003) 388
Yasui, K., see Narita, Y.	216 (2003) 575	Yoshigoe, A., see Takakuwa, Y.	216 (2003) 395
Yasumura, T., see Bhuiyan, M.N.K.	216 (2003) 590	Yoshigoe, A., see Teraoka, Y.	216 (2003) 8
Yeh, CF., CW. Hsiao and WS. Lee, Novel		Yoshikane, T., see Koizumi, A.	216 (2003) 560
post CMP cleaning using buffered HF solu-		Yoshikawa, M., see Maekawa, M.	216 (2003) 365
tion and ozone water	216 (2003) 46	Yoshimoto, M., see Ito, S.	216 (2003) 508
Yokoyama, H., see Oda, Y.	216 (2003) 532	Yuri, M., see Ueda, T.	216 (2003) 512
Yokoyama, S., see Takahashi, K.	216 (2003) 296		
Yokoyama, Y., X. Li, K. Sheng, A. Mihaila, T.		Zaima, S., see Nakatsuka, O.	216 (2003) 174
Traikovic, F. Udrea, G.A.J. Amaratunga		Zakharov, N., see Wakayama, Y.	216 (2003) 419
and K. Okano, A field effect transistor using		Zhang, B.P., see Kubota, J.	216 (2003) 431
highly nitrogen-doped CVD diamond for		Zhang, X., see Aoyama, T.	216 (2003) 356
power device applications	216 (2003) 483	Zhang, Y., see Lucovsky, G.	216 (2003) 215
Yoshida, K., see Hirai, M.	216 (2003) 187	Zhuravlev, K.S., see Sulaimanov, A.K.	216 (2003) 625

# Subject Index

Alloys  Effect of Ni–Cu substrates on phase selection of hexagonal and cubic boron nitride thin films, S. Kotake, T. Hasegawa, K. Kamiya, Y. Suzuki, T. Masui, Y. Kangawa, K. Nakamura and T. Ito Remote plasma-assisted nitridation (RPN): applications to Zr and Hf silicate alloys	216 (2003) 72	M. Mori, N. Akae, K. Uotani, N. Fujimoto, T. Tambo and C. Tatsuyama Decay rates of exciton and phonon-assisted recombination in asymmetric GaAs/AlAs type II superlattices, A.K. Sulaimanov, L.S. Braginsky, A.M. Gilinsky, A.I. Toropov, A.K. Bakarov and K.S. Zhuravlev	216 (2003) 569 216 (2003) 625
and Al <sub>2</sub> O <sub>3</sub> , C. Hinkle and G. Lucovsky  Band offset energies in zirconium silicate Si	216 (2003) 124	Aluminium oxide	
alloys, G. Lucovsky, B. Rayner, Y. Zhang, G. Appel and J. Whitten	216 (2003) 215	Remote plasma-assisted nitridation (RPN): applications to Zr and Hf silicate alloys and Al <sub>2</sub> O <sub>3</sub> , C. Hinkle and G. Lucovsky	216 (2003) 124
Aluminium		Built-in interface in high-к gate stacks, M. Hiratani, K. Torii, Y. Shimamoto and SI. Saito	216 (2003) 208
Effect of Al interlayers on two-step epitaxial growth of CoSi <sub>2</sub> on Si(1 0 0), O. Nakatsuka, H. Onoda, E. Okada, H. Ikeda, A. Sakai, S.		Laser lift-off of very thin AlGaN film from sapphire using selective decomposition of GaN interlayer, T. Ueda, M. Ishida and M.	210 (2003) 200
Zaima and Y. Yasuda Properties of GaN and AlGaN Schottky con- tacts revealed from I-V-T and C-V-T mea- surements, T. Sawada, Y. Izumi, N. Kimura,	216 (2003) 174	Yuri	216 (2003) 512
K. Suzuki, K. Imai, SW. Kim and T. Suzuki	216 (2003) 192	Annealing	
Ab initio study of 3C-SiC/M (M = Ti or Al) nano-hetero interfaces, S. Tanaka and M. Kohyama	216 (2003) 471	Hydrogen-related structural changes on CVD diamond (1 0 0) surfaces by ultra- high-vacuum annealing, J. Nakamura,	
Low-temperature growth of AlN on nearly lattice-matched MnO substrates, S. Ito, H.		S. Fukumoto, T. Teraji, H. Murakami and T. Ito	216 (2003) 59
Fujioka, J. Ohta, A. Sasaki, J. Liu, M. Yoshimoto, H. Koinuma and M. Oshima Laser lift-off of very thin AlGaN film from	216 (2003) 508	Comparison of thermal and plasma oxidations for HfO <sub>2</sub> /Si interface, S. Hayashi, K. Yama- moto, Y. Harada, R. Mitsuhashi, K. Erigu-	
sapphire using selective decomposition of GaN interlayer, T. Ueda, M. Ishida and M.		chi, M. Kubota and M. Niwa Effect of surface treatment of Si substrates and	216 (2003) 228
Yuri Effects of surface processing on 2DEG current transport at AlGaN/GaN interface studied	216 (2003) 512	annealing condition on high-k rare earth oxide gate dielectrics, C. Ohshima, J. Tagu- chi, I. Kashiwagi, H. Yamamoto, S. Ohmi	
by gateless HFET structure, T. Inagaki, T. Hashizume and H. Hasegawa	216 (2003) 519	and H. Iwai Shape transition of InAs from two-dimensional	216 (2003) 302
Improvement of power performance in planar type AlGaAs/GaAs MESFET by substrate		islands to three-dimensional dots by anneal- ing, S. Iwasaki and K. Yamaguchi	216 (2003) 407
surface oxidation, T. Kagiyama, Y. Saito, K. Otobe and S. Nakajima Heteroepitaxial growth of InSb films on a	216 (2003) 542	Mechanism of H <sub>2</sub> pre-annealing on the growth of GaN on sapphire by MOVPE, M. Tsuda, K. Watanabe, S. Kamiyama, H. Amano, I.	
Si(0 0 1) substrate via AlSb buffer layer,		Akasaki, R. Liu, A. Bell and F. A. Ponce	216 (2003) 585

216 (2003) 35

216 (2003) 532

216 (2003) 607

216 (2003) 19

216 (2003) 46

216 (2003) 302

216 (2003) 312

## Antimony

- Study of Sb adsorption on the Si(001)-In(4 × 3) surface, D. Gruznev, Y. Furukawa, M. Mori, T. Tambo, V.G. Lifshits and C. Tatsuyama
- Growth mechanism in heavily carbon-doped GaAs,Sb<sub>1-x</sub> grown by MOCVD, Y. Oda, N. Watanabe, H. Yokoyama and T. Kobayashi

# Effects of the substrate on properties of PTO thin film, K. Nishida, G. Matuoka, M.

Osada, M. Kakihana and T. Katoda Growth mechanism of PTO on MgO at initial stage, K. Nishida, K. Shirakata, M. Osada, M. Kakihana and T. Katoda 216 (2003) 318

216 (2003) 323

216 (2003) 361

216 (2003) 407

216 (2003) 512

216 (2003) 537

216 (2003) 569

216 (2003) 575

216 (2003) 585

216 (2003) 590

216 (2003) 424

216 (2003) 35

216 (2003) 124

- In situ observation of step-terrace structures on MOVPE grown InP(0 0 1) by using grazing X-ray scattering, T. Kawamura, S. Bhunia, Y. Watanabe, S. Fujikawa, J. Matsui, Y. Kagoshima and Y. Tsusaka
- Shape transition of InAs from two-dimensional islands to three-dimensional dots by annealing, S. Iwasaki and K. Yamaguchi
- Laser lift-off of very thin AlGaN film from sapphire using selective decomposition of GaN interlayer, T. Ueda, M. Ishida and M. Yuri
- 216 (2003) 526

  AFM observation of OMVPE-grown ErP on InP substrates using a new organometal tris(ethylcyclopentadienyl)erbium (Er(EtCp)<sub>3</sub>), T. Akane, S. Jinno, Y. Yang, T. Kuno, T. Hirata, Y. Isogai, N. Watanabe, Y. Fujiwara, A. Nakamura and Y. Takeda
  - Fujiwara, A. Nakamura and Y. Takeda Heteroepitaxial growth of InSb films on a Si(0 0 1) substrate via AlSb buffer layer, M. Mori, N. Akae, K. Uotani, N. Fujimoto, T. Tambo and C. Tatsuyama
  - Initial stage of 3C–SiC growth on Si(001)–2×1 surface using monomethylsilane, Y. Narita, T. Inubushi, M. Harashima, K. Yasui and T. Akahane
  - Mechanism of H<sub>2</sub> pre-annealing on the growth of GaN on sapphire by MOVPE, M. Tsuda, K. Watanabe, S. Kamiyama, H. Amano, I. Akasaki, R. Liu, A. Bell and F. A. Ponce
  - Study of epitaxial SrTiO<sub>3</sub> (STO) thin films grown on Si(0 0 1)–2 × 1 substrates by molecular beam epitaxy, M.N.K. Bhuiyan, A. Matsuda, T. Yasumura, T. Tambo and C. Tatsuyama

#### 216 (2003) 149 Atomic layer deposition

Si submonolayer and monolayer digital growth operation techniques using Si<sub>2</sub>H<sub>6</sub> as atomically controlled growth nanotechnology, Y. Suda, N. Hosoya and K. Miki

# Auger electron spectroscopy

- Study of Sb adsorption on the Si(001)-In(4 x 3) surface, D. Gruznev, Y. Furukawa, M. Mori, T. Tambo, V.G. Lifshits and C. Tatsuyama
- 216 (2003) 307 Remote plasma-assisted nitridation (RPN): applications to Zr and Hf silicate alloys and Al<sub>2</sub>O<sub>3</sub>, C. Hinkle and G. Lucovsky
  - Phase transition from Langmuir-type adsorption to two-dimensional oxide island

#### Arsenic

- Composition dependence of InP/ Ga,In<sub>1-1</sub>As,P<sub>1-</sub>/InP interface structures analyzed by X-ray CTR scattering measurements, M. Tabuchi, H. Kyouzu, M. Takemi and Y. Takeda
- Area-selective regrowth followed by AsH<sub>3</sub> surface treatment and its application for ultra-shallow GaAs sidewall tunnel junctions, T. Ohno, Y. Oyama, K. Tezuka, K. Suto and J.-i. Nishizawa
- Growth and annealing effect of ferromagnetic (Ga, Mn)As on Si(1 0 0) substrates, N. Uchitomi, S. Sato and Y. Jinbo

# Atomic force microscopy

- Temperature dependence of flat Ge/Si(0 0 1) heterostructures as observed by CAICISS, R. Tsushima, M. Katayama, T. Fujino, M. Shindo, T. Okuno and K. Oura
- Novel post CMP cleaning using buffered HF solution and ozone water, C.-F. Yeh, C.-W. Hsiao and W.-S. Lee
- Correlation between deposition parameters and structural modification of amorphous carbon nitride (a-CN<sub>1</sub>) film in magnetron sputtering, H.-S. Jung and H.-H. Park
- Preparation of hafnium oxide films from oxygen-free HffN(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>l<sub>4</sub> precursor and their properties, K. Takahashi, M. Nakayama, S. Yokoyama, T. Kimura, E. Tokumitsu and H. Funakubo
- Effect of surface treatment of Si substrates and annealing condition on high-k rare earth oxide gate dielectrics, C. Ohshima, J. Taguchi, I. Kashiwagi, H. Yamamoto, S. Ohmi and H. Iwai
- Si/SiO<sub>2</sub> interface attack during metal oxide growth under low oxygen pressure, K. Kubo, M. Kiyohara, K. Shimoyama and K. Yamabe
- An orientation ratio and ferroelectric properties of ultra-thin PTO films, K. Nishida, T. Sugino, M. Osada, M. Kakihana and T. Katoda

growth during oxidation on Si(0 0 1)		Boron	
surface, Y. Takakuwa, F. Ishida and T. Kawawa Diffusion barrier properties of nano-crystalline TiZrN films in Cu/Si contact systems,	216 (2003) 133	Theoretical study on stable structures and dif- fusion mechanisms of B in SiO <sub>2</sub> , M. Otani,	
M.B. Takeyama, T. Itoi, E. Aoyagi and A. Noya	216 (2003) 181	K. Shiraishi and A. Oshiyama	216 (2003) 490
Band offset energies in zirconium silicate Si alloys, G. Lucovsky, B. Rayner, Y. Zhang,	210 (2005) 101	Cadmium	
G. Appel and J. Whitten  Real-time monitoring of oxidation on the	216 (2003) 215	Laser-stimulated control of interfaces at grain	
Ti(0 0 0 1) surface by synchrotron radiation photoelectron spectroscopy and RHEED— AES, Y. Takakuwa, S. Ishidzuka, A. Yoshi-		boundaries in polycrystalline Cd, Hg1-, Te films, V.A. Gnatyuk, T. Aoki and Y. Hata- naka	216 (2003) 88
goe, Y. Teraoka, Y. Yamauchi, Y. Mizuno,	217 -2002 205	Halkal	210 (2003) 66
H. Tonda and T. Homma  Heteroepitaxial growth of InSb films on a Si(0 0 1) substrate via AlSb buffer layer,	216 (2003) 395	Calcium	
M. Mori, N. Akae, K. Uotani, N. Fujimoto, T. Tambo and C. Tatsuyama	216 (2003) 569	Formation of CaMgSi at Ca <sub>2</sub> Si/Mg <sub>2</sub> Si inter- face, T. Hosono, M. Kuramoto, Y. Matsu- zawa, Y. Momose, Y. Maeda, T. Matsuyama, H. Tatsuoka, Y. Fukuda, S.	
Barium		Hashimoto and H. Kuwabara	216 (2003) 620
Si/SiO <sub>2</sub> interface attack during metal oxide growth under low oxygen pressure, K.		Carbon	
Kubo, M. Kiyohara, K. Shimoyama and K. Yamabe	216 (2003) 307	Correlation between deposition parameters and structural modification of amorphous car- bon nitride (a-CN <sub>s</sub> ) film in magnetron sput-	
Boron nitride		tering, HS. Jung and HH. Park  Precise control of size and density of self- assembled Ge dot on Si(1 0 0) by carbon-	216 (2003) 149
Effect of Ni-Cu substrates on phase selection of hexagonal and cubic boron nitride thin films, S. Kotake, T. Hasegawa, K. Kamiya,		induced strain-engineering, Y. Wakayama, L.V. Sokolov, N. Zakharov, P. Werner and	216 (2002) 410
Y. Suzuki, T. Masui, Y. Kangawa, K. Naka- mura and T. Ito	216 (2003) 72	U. Gösele Systematic theoretical investigations of misci- bility in Si <sub>1-1</sub> .—, Ge,C, thin films, T. Ito, K. Nakamura, Y. Kangawa, K. Shiraishi, A.	216 (2003) 419
Bond structures		Taguchi and H. Kageshima Growth mechanism in heavily carbon-doped	216 (2003) 458
		GaAs,Sb <sub>1-x</sub> grown by MOCVD, Y. Oda, N. Watanabe, H. Yokoyama and T. Kobaya-	
Electronic structure and energy band offsets for ultrathin silicon nitride on Si(1 0 0), S. Miyazaki, M. Narasaki, A. Suyama, M.		shi Initial stage of 3C–SiC growth on Si(001)–2 × 1 surface using monomethylsilane, Y. Narita,	216 (2003) 532
Yamaoka and H. Murakami First-principle theoretical study on the electro- nic properties of SiO <sub>2</sub> models with hydro-	216 (2003) 252	T. Inubushi, M. Harashima, K. Yasui and T. Akahane	216 (2003) 575
genated impurities and charges, K. Doi, K. Nakamura and A. Tachibana	216 (2003) 463	Chamical vanous deposition	
		Chemical vapour deposition	
Borides		Hydrogen-related structural changes on CVD diamond (1 0 0) surfaces by ultra-high- vacuum annealing, J. Nakamura, S. Fuku-	
Growth of GaN on ZrB2 substrate by metal- organic vapor phase epitaxy, Y. Tomida, S. Nitta, S. Kamiyama, H. Amano, I. Akasaki,		moto, T. Teraji, H. Murakami and T. Ito Field-induced effects of implanted Ga on high electric field diamond devices fabricated by	216 (2003) 59
S. Otani, H. Kinoshita, R. Liu, A. Bell and F.A. Ponce	216 (2003) 502	focused ion beam, M. Hamada, T. Teraji and T. Ito	216 (2003) 65

Interface formation and properties of α-NPD thermally deposited on CVD diamond		Copper	
films, MS. Chun, T. Teraji and T. Ito Preparation of hafnium oxide films from oxy- gen-free Hf[N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ] <sub>4</sub> precursor and their	216 (2003) 106	Novel post CMP cleaning using buffered HF solution and ozone water, CF. Yeh, CW.	
properties, K. Takahashi, M. Nakayama, S. Yokoyama, T. Kimura, E. Tokumitsu and H. Funakubo	216 (2003) 296	Hsiao and WS. Lee Effect of Ni-Cu substrates on phase selection of hexagonal and cubic boron nitride thin	216 (2003) 46
Effects of the substrate on properties of PTO thin film, K. Nishida, G. Matuoka, M. Osada, M. Kakihana and T. Katoda	216 (2003) 250	films, S. Kotake, T. Hasegawa, K. Kamiya, Y. Suzuki, T. Masui, Y. Kangawa, K. Naka- mura and T. Ito	216 (2003) 72
Growth mechanism of PTO on MgO at initial stage, K. Nishida, K. Shirakata, M. Osada,		Passivation of defects in polycrystalline Cu <sub>2</sub> O thin films by hydrogen or cyanide treat- ment, S. Ishizuka, S. Kato, Y. Okamoto, T.	
M. Kakihana and T. Katoda Fabrication and characterization of GaInP/ GaAs triple barrier resonant tunneling	216 (2003) 323	Sakurai, K. Akimoto, N. Fujiwara and H. Kobayashi  Modification of GaAs and copper surface by	216 (2003) 94
diodes grown by MOCVD, N. Asaoka, H. Funato, M. Suhara and T. Okumura A field effect transistor using highly nitrogen-	216 (2003) 413	the formation of SiO <sub>2</sub> aerogel film as an interlayer dielectric, SW. Park, SB. Jung, MG. Kang, HH. Park and HC. Kim	216 (2003) 98
doped CVD diamond for power device applications, Y. Yokoyama, X. Li, K. Sheng, A. Mihaila, T. Traikovic, F. Udrea,		Surface and interface study of Cu (film)/SiC (substrate) system, Z. An, M. Hirai, M. Kusaka and M. Iwami	
G.A.J. Amaratunga and K. Okano Epitaxial growth of 4H–SiC(0 3 3 8) and con- trol of MOS interface, T. Kimoto, T. Hirao,	216 (2003) 483	Study of Cu and Co gettering mechanism using radioactive isotope tracers, K. Matsukawa,	216 (2003) 169
K. Fujihira, H. Kosugi, K. Danno and H. Matsunami Growth mechanism in heavily carbon-doped	216 (2003) 497	H. Naruoka, N. Hattori and Y. Mashiko  Copper silicon	216 (2003) 371
GaAs, Sb <sub>1</sub> , grown by MOCVD, Y. Oda, N. Watanabe, H. Yokoyama and T. Kobaya- shi	216 (2003) 532	Diffusion barrier properties of nano-crystalline	
Radio frequency power dependence of the characteristics of 3C-SiC on Si grown by triode plasma CVD using dimethylsilane,		TiZrN films in Cu/Si contact systems, M.B. Takeyama, T. Itoi, E. Aoyagi and A. Noya	216 (2003) 181
K. Yasui, M. Hashiba and T. Akahane Improved surface morphology of sulfur-doped homoepitaxial diamond films by plasma	216 (2003) 580	Cuprous oxide	
CVD method with SF <sub>6</sub> Grading-Doping profile, S. Fujii, S. Hino and T. Kobayashi	216 (2003) 596	Passivation of defects in polycrystalline Cu <sub>2</sub> O thin films by hydrogen or cyanide treat- ment, S. Ishizuka, S. Kato, Y. Okamoto, T.	
Cobalt		Sakurai, K. Akimoto, N. Fujiwara and H. Kobayashi	216 (2003) 94
Effect of Al interlayers on two-step epitaxial growth of CoSi <sub>2</sub> on Si(100), O. Nakatsuka, H. Onoda, E. Okada, H. Ikeda, A. Sakai, S.		Density of state	
Zaima and Y. Yasuda Study of Cu and Co gettering mechanism using radioactive isotope tracers, K. Matsukawa,	216 (2003) 174	Band offset energies in zirconium silicate Si alloys, G. Lucovsky, B. Rayner, Y. Zhang, G. Appel and J. Whitten	216 (2003) 215
H. Naruoka, N. Hattori and Y. Mashiko	216 (2003) 371	Ab initio study of 3C-SiC/M (M = Ti or Al) nano-hetero interfaces, S. Tanaka and M. Kohyama	216 (2003) 471
Computer simulations		Photyania	210 (2003) 4/1
Systematic theoretical investigations of misci- bility in Si <sub>1-1-1</sub> ,Ge <sub>2</sub> C, thin films, T. Ito, K. Nakamura, Y. Kangawa, K. Shiraishi, A.		Depth profiling	
Taguchi and H. Kageshima Dynamics of In atom during InAs/GaAs(0 0 1)	216 (2003) 458	Diffusion barrier properties of nano-crystalline TiZrN films in Cu/Si contact systems, M.B. Takeyama, T. Itoi, E. Aoyagi and A. Noya	216 (2003) 181
growth process, A. Ishii, K. Fujiwara and T. Aisaka	216 (2003) 478	Chemical and electronic structures of Lu <sub>2</sub> O <sub>3</sub> /Si interfacial transition layer, H. Nohira, T.	

Shiraishi, T. Nakamura, K. Takahashi, M. Takeda, S. Ohmi, H. Iwai and T. Hattori Depth profiling of oxynitride film formed on Si(1 0 0) by photon energy dependent photoelectron spectroscopy, K. Nishizaki, H. Nohira, K. Takahashi, N. Kamakura, Y.	216 (2003) 234	Improved surface morphology of sulfur-doped homoepitaxial diamond films by plasma CVD method with SF <sub>0</sub> Grading-Doping profile, S. Fujii, S. Hino and T. Kobayashi	216 (2003) 596
Takata, S. Shin, K. Kobayashi, N. Tamura, K. Hikazutani and T. Hattori Study of Cu and Co gettering mechanism using	216 (2003) 287	Elastic recoil detection	
radioactive isotope tracers, K. Matsukawa, H. Naruoka, N. Hattori and Y. Mashiko	216 (2003) 371	The role of vacuum ultraviolet in H <sub>2</sub> plasma treatment on SiO <sub>2</sub> aerogel film, SB. Jung, HH. Park and H. Kim	216 (2003) 156
Deuterium			210 (2002) 100
Improvement of hot-carrier-reliability by deu- terium termination of Si/SiO <sub>2</sub> interface		Electrical properties	
defects, H. Takahashi and H. Yamada- Kaneta	216 (2003) 347	Field-induced effects of implanted Ga on high electric field diamond devices fabricated by focused ion beam, M. Hamada, T. Teraji	
Diamond  Hydrogen-related structural changes on CVD		and T. Ito Contactless electrical characterization of sur- face and interface of SOI materials, S.	216 (2003) 65
diamond (1 0 0) surfaces by ultra-high- vacuum annealing, J. Nakamura, S. Fukumoto, T. Teraji, H. Murakami and T. Ito  Field-induced effects of implanted Ga on high	216 (2003) 59	Nakamura, D. Watanabe, A. En, M. Suhara and T. Okumura Properties of GaN and AlGaN Schottky con- tacts revealed from I-V-T and C-V-T mea- surements, T. Sawada, Y. Izumi, N. Kimura,	216 (2003) 113
electric field diamond devices fabricated by focused ion beam, M. Hamada, T. Teraji and T. Ito	214 (2002) 48	<ul> <li>K. Suzuki, K. Imai, SW. Kim and T. Suzuki</li> <li>Built-in interface in high-κ gate stacks, M.</li> </ul>	216 (2003) 192
Interface formation and properties of 2-NPD thermally deposited on CVD diamond films, MS. Chun, T. Teraji and T. Ito	216 (2003) 65 216 (2003) 106	Hiratani, K. Torii, Y. Shimamoto and SI. Saito Pinning-free GaAs MIS structures with Si inter-	216 (2003) 208
A field effect transistor using highly nitrogen- doped CVD diamond for power device applications, Y. Yokoyama, X. Li, K.	210 (2000) 200	face control layers formed on (4 × 6) reconstructed (0 0 1) surface, S. Anantatha- nasarn and H. Hasegawa Effect of surface treatment of Si substrates and	216 (2003) 275
Sheng, A. Mihaila, T. Traikovic, F. Udrea, G.A.J. Amaratunga and K. Okano Improved surface morphology of sulfur-doped	216 (2003) 483	annealing condition on high-k rare earth oxide gate dielectrics, C. Ohshima, J. Tagu- chi, I. Kashiwagi, H. Yamamoto, S. Ohmi	
homoepitaxial diamond films by plasma CVD method with SF <sub>6</sub> Grading–Doping profile, S. Fujii, S. Hino and T. Kobayashi	216 (2003) 596	and H. Iwai Fabrication and characterization of GalnP/ GaAs triple barrier resonant tunneling diodes grown by MOCVD, N. Asaoka, H.	216 (2003) 302
Dielectric constant		Funato, M. Suhara and T. Okumura Effects of surface processing on 2DEG current transport at AlGaN/GaN interface studied	216 (2003) 413
Characterization of dielectric properties of ultrathin SiO <sub>2</sub> film formed on Si substrate, K. Hirose, H. Kitahara and T. Hattori	216 (2003) 351	by gateless HFET structure, T. Inagaki, T. Hashizume and H. Hasegawa Improvement of power performance in planar type AlGaAs/GaAs MESFET by substrate	216 (2003) 519
Doping effect		surface oxidation, T. Kagiyama, Y. Saito, K. Otobe and S. Nakajima Area-selective regrowth followed by AsH <sub>3</sub>	216 (2003) 542
Growth mechanism in heavily carbon-doped GaAs,Sb <sub>1-x</sub> , grown by MOCVD, Y. Oda, N. Watanabe, H. Yokoyama and T. Kobaya-		surface treatment and its application for ultra-shallow GaAs sidewall tunnel junctions, T. Ohno, Y. Oyama, K. Tezuka,	
shi	216 (2003) 532	K. Suto and Ji. Nishizawa	216 (2003) 549

# Electron diffraction

Electron diffraction		Modification of GaAs and copper surface by the formation of SiO <sub>2</sub> aerogel film as an	
Study of Sb adsorption on the Si(001)-In(4 × 3) surface, D. Gruznev, Y. Furukawa, M. Mori,		interlayer dielectric, SW. Park, SB. Jung, MG. Kang, HH. Park and HC. Kim	216 (2003) 98
T. Tambo, V.G. Lifshits and C. Tatsuyama Phase transition from Langmuir-type adsorp- tion to two-dimensional oxide island	216 (2003) 35	The role of vacuum ultraviolet in H <sub>2</sub> plasma treatment on SiO <sub>2</sub> aerogel film, SB. Jung, HH. Park and H. Kim	216 (2003) 156
growth during oxidation on Si(0 0 1) sur- face, Y. Takakuwa, F. Ishida and T. Kawawa	216 (2003) 133	The effect of metals (Au, Ag) and oxidizing ambient on interfacial reactions in Au/Si and Ag/Si systems, D. Adams, B.A. Julies,	
Pinning-free GaAs MIS structures with Si inter- face control layers formed on (4 × 6) reconstructed (0 0 1) surface, S. Anantatha-		J.W. Mayer and T.L. Alford Surface and interface study of Cu (film)/SiC	216 (2003) 163
nasarn and H. Hasegawa Real-time monitoring of oxidation on the Ti(0 0 0 1) surface by synchrotron radiation	216 (2003) 275	(substrate) system, Z. An, M. Hirai, M. Kusaka and M. Iwami Effect of Al interlayers on two-step epitaxial	216 (2003) 169
photoelectron spectroscopy and RHEED- AES, Y. Takakuwa, S. Ishidzuka, A. Yoshi-		growth of CoSi <sub>2</sub> on Si(100), O. Nakatsuka, H. Onoda, E. Okada, H. Ikeda, A. Sakai, S.	
goe, Y. Teraoka, Y. Yamauchi, Y. Mizuno, H. Tonda and T. Homma Shape transition of InAs from two-dimensional	216 (2003) 395	Zaima and Y. Yasuda Diffusion barrier properties of nano-crystalline TiZrN films in Cu/Si contact systems, M.B.	216 (2003) 174
islands to three-dimensional dots by anneal- ing, S. Iwasaki and K. Yamaguchi	216 (2003) 407	Takeyama, T. Itoi, E. Aoyagi and A. Noya Nano-structure of transition-metal (Ti, Ni)/SiC system: photo-emission electron micro-	216 (2003) 181
Si submonolayer and monolayer digital growth operation techniques using Si <sub>2</sub> H <sub>0</sub> as atom- ically controlled growth nanotechnology, Y.		scopy and soft X-ray fluorescence spectro- scopy, M. Hirai, J.P. Labis, A. Ohi, C.	
Suda, N. Hosoya and K. Miki Low-temperature growth of AlN on nearly lattice-matched MnO substrates, S. Ito, H.	216 (2003) 424	Kamezawa, Y. Morikawa, K. Yoshida, M. Kusaka and M. Iwami Comparison of thermal and plasma oxidations	216 (2003) 187
Fujioka, J. Ohta, A. Sasaki, J. Liu, M. Yoshimoto, H. Koinuma and M. Oshima	216 (2003) 508	for HfO <sub>2</sub> /Si interface, S. Hayashi, K. Yama- moto, Y. Harada, R. Mitsuhashi, K. Erigu- chi, M. Kubota and M. Niwa	216 (2003) 228
Initial stage of 3C-SiC growth on Si(001)-2 × 1 surface using monomethylsilane, Y. Narita, T. Inubushi, M. Harashima, K. Yasui and		Preparation of hafnium oxide films from oxy- gen-free Hf[N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ] <sub>4</sub> precursor and their	210 (2003) 228
T. Akahane Study of epitaxial SrTiO <sub>3</sub> (STO) thin films grown on Si(0 0 1)-2 × 1 substrates by	216 (2003) 575	properties, K. Takahashi, M. Nakayama, S. Yokoyama, T. Kimura, E. Tokumitsu and H. Funakubo	216 (2003) 296
molecular beam epitaxy, M.N.K. Bhuiyan, A. Matsuda, T. Yasumura, T. Tambo and C.		Si/SiO <sub>2</sub> interface attack during metal oxide growth under low oxygen pressure, K. Kubo, M. Kiyohara, K. Shimoyama and K. Yamabe	
Tatsuyama Improved surface morphology of sulfur-doped homoepitaxial diamond films by plasma	216 (2003) 590	Nucleation and growth of nanocrystalline sili- con studied by TEM, XPS and ESR, K.	216 (2003) 307
CVD method with SF <sub>6</sub> Grading-Doping profile, S. Fujii, S. Hino and T. Kobayashi Growth of β-FeSi <sub>2</sub> on MnSi <sub>1,7</sub> layers by reac-	216 (2003) 596	Sato, T. Izumi, M. Iwase, Y. Show, H. Morisaki, T. Yaguchi and T. Kamino Characteristics of ZnO whiskers prepared from	216 (2003) 376
tive deposition epitaxy, M. Kohira, Y. Souno, T. Matsuyama, H. Tatsuoka, I.J. Ohsugi, I.A. Nishida and H. Kuwabara	216 (2003) 614	organic-zinc, J. Kubota, K. Haga, Y. Kashi- waba, H. Watanabe, B.P. Zhang and Y. Segawa	216 (2003) 431
Formation of CaMgSi at Ca <sub>2</sub> Si/Mg <sub>2</sub> Si interface, T. Hosono, M. Kuramoto, Y. Matsuzawa, Y. Momose, Y. Maeda, T.	210 (2003) 614	Improvement of power performance in planar type AlGaAs/GaAs MESFET by substrate surface oxidation, T. Kagiyama, Y. Saito, K.	10 (200) 401
Matsuyama, H. Tatsuoka, Y. Fukuda, S. Hashimoto and H. Kuwabara	216 (2003) 620	Otobe and S. Nakajima Short-period Si/Si <sub>1-</sub> ,Ge, multiple quantum wells: real-time spectro-ellipsometric char-	216 (2003) 542
Electron microscopy		acterization during growth by synchrotron- radiation-excited chemical-beam epitaxy, H. Akazawa	216 (2003) 554
Temperature dependence of flat Ge/Si(0 0 1) heterostructures as observed by CAICISS, R. Tsushima, M. Katayama, T. Fujino, M.		Mechanism of H <sub>2</sub> pre-annealing on the growth of GaN on sapphire by MOVPE, M. Tsuda, K. Watanabe, S. Kamiyama, H. Amano, I.	210 (2103) 334
Shindo, T. Okuno and K. Oura	216 (2003) 19	Akasaki, R. Liu, A. Bell and F. A. Ponce	216 (2003) 585

Improved surface morphology of sulfur-doped homoepitaxial diamond films by plasma		Fujioka, J. Ohta, A. Sasaki, J. Liu, M. Yoshimoto, H. Koinuma and M. Oshima	216 (2003) 508
CVD method with SF <sub>6</sub> Grading–Doping profile, S. Fujii, S. Hino and T. Kobayashi Growth of β-FeSi <sub>2</sub> on MnSi <sub>1.7</sub> layers by reac-	216 (2003) 596	AFM observation of OMVPE-grown ErP on InP substrates using a new organometal tris(ethylcyclopentadienyl)erbium	
tive deposition epitaxy, M. Kohira, Y. Souno, T. Matsuyama, H. Tatsuoka, I.J.		(Er(EtCp) <sub>3</sub> ), T. Akane, S. Jinno, Y. Yang, T. Kuno, T. Hirata, Y. Isogai, N. Watanabe, Y.	216 (2003) 537
Ohsugi, I.A. Nishida and H. Kuwabara Formation of CaMgSi at Ca <sub>2</sub> Si/Mg <sub>2</sub> Si inter- face, T. Hosono, M. Kuramoto, Y. Matsu- zawa, Y. Momose, Y. Maeda, T.	216 (2003) 614	Fujiwara, A. Nakamura and Y. Takeda Area-selective regrowth followed by AsH, surface treatment and its application for ultra-shallow GaAs sidewall tunnel	210 (2003) 337
Matsuyama, H. Tatsuoka, Y. Fukuda, S. Hashimoto and H. Kuwabara	216 (2003) 620	junctions, T. Ohno, Y. Oyama, K. Tezuka, K. Suto and Ji. Nishizawa Short-period Si/Si <sub>1-</sub> ,Ge, multiple quantum	216 (2003) 549
Electron spin resonance		wells: real-time spectro-ellipsometric char- acterization during growth by synchrotron- radiation-excited chemical-beam epitaxy.	216 (2003) 554
Improvement of hot-carrier-reliability by deu- terium termination of Si/SiO <sub>2</sub> interface defects, H. Takahashi and H. Yamada-		H. Akazawa Growth sequence dependence of GaAs-on- GaInP interface characteristics in GaAs/	210 (2003) 334
Kaneta Nucleation and growth of nanocrystalline sili- con studied by TEM, XPS and ESR, K.	216 (2003) 347	GalnP/GaAs structures grown by low-pres- sure organometallic vapor phase epitaxy, A. Koizumi, Y. Fujiwara, K. Inoue, T. Yoshi-	
Sato, T. Izumi, M. Iwase, Y. Show, H. Morisaki, T. Yaguchi and T. Kamino	216 (2003) 376	kane, A. Urakami and Y. Takeda Reactor structure dependence of interface abruptness in GalnAs/InP and GalnP/GaAs	216 (2003) 560
Elipsometry		grown by organometallic vapor phase epi- taxy, Y. Fujiwara, Y. Nonogaki, R. Oga, A. Koizumi and Y. Takeda	216 (2003) 564
Short-period Si/Si <sub>1-x</sub> Ge, multiple quantum wells: real-time spectro-ellipsometric char- acterization during growth by synchrotron-		Heteroepitaxial growth of InSb films on a Si(0 0 1) substrate via AlSb buffer layer, M. Mori, N. Akae, K. Uotani, N. Fujimoto,	
radiation-excited chemical-beam epitaxy, H. Akazawa	216 (2003) 554	T. Tambo and C. Tatsuyama Mechanism of H <sub>2</sub> pre-annealing on the growth of GaN on sapphire by MOVPE, M. Tsuda,	216 (2003) 569
Epitaxy		K. Watanabe, S. Kamiyama, H. Amano, I. Akasaki, R. Liu, A. Bell and F. A. Ponce Study of epitaxial SrTiO <sub>3</sub> (STO) thin films	216 (2003) 585
Effect of Al interlayers on two-step epitaxial growth of CoSi <sub>2</sub> on Si(100), O. Nakatsuka, H. Onoda, E. Okada, H. Ikeda, A. Sakai, S.		grown on Si(0 0 1)-2 × 1 substrates by molecular beam epitaxy, M.N.K. Bhuiyan, A. Matsuda, T. Yasumura, T. Tambo and C.	
Zaima and Y. Yasuda Pinning-free GaAs MIS structures with Si inter- face control layers formed on (4 × 6) reconstructed (0 0 1) surface, S. Anantatha-	216 (2003) 174	Tatsuyama Improved surface morphology of sulfur-doped homoepitaxial diamond films by plasma CVD method with SF <sub>6</sub> Grading-Doping	216 (2003) 590
nasarn and H. Hasegawa In situ observation of step-terrace structures on MOVPE grown InP(0 0 1) by using grazing	216 (2003) 275	profile, S. Fujii, S. Hino and T. Kobayashi Growth of β-FeSi <sub>2</sub> on MnSi <sub>1,7</sub> layers by reac- tive deposition epitaxy, M. Kohira, Y.	216 (2003) 596
X-ray scattering, T. Kawamura, S. Bhunia, Y. Watanabe, S. Fujikawa, J. Matsui, Y. Kagoshima and Y. Tsusaka	216 (2003) 361	Souno, T. Matsuyama, H. Tatsuoka, I.J. Ohsugi, I.A. Nishida and H. Kuwabara	216 (2003) 614
Si submonolayer and monolayer digital growth operation techniques using Si <sub>2</sub> H <sub>6</sub> , as atom- ically controlled growth nanotechnology, Y.		Erbium	
Suda, N. Hosoya and K. Miki Epitaxial growth of 4H–SiC(0 3 3 8) and con- trol of MOS interface, T. Kimoto, T. Hirao,	216 (2003) 424	AFM observation of OMVPE-grown ErP on InP substrates using a new organometal	
K. Fujihira, H. Kosugi, K. Danno and H. Matsunami	216 (2003) 497	tris(ethylcyclopentadienyl)erbium (Er(EtCp) <sub>1</sub> ), T. Akane, S. Jinno, Y. Yang, T. Kuno, T. Hirata, Y. Isogai, N. Watanabe, Y.	
Low-temperature growth of AlN on nearly lattice-matched MnO substrates, S. Ito, H.		Fujiwara, A. Nakamura and Y. Takeda	216 (2003) 537

216 (2003) 46

216 (2003) 334

216 (2003) 569

216 (2003) 203

216 (2003) 239

216 (2003) 312

216 (2003) 318

216 (2003) 187

216 (2003) 203

216 (2003) 65

## Etching

- Novel post CMP cleaning using buffered HF solution and ozone water, C.-F. Yeh, C.-W. Hsiao and W.-S. Lee
- All-optical circular polarization switching phenomenon observed in photo chemically etched silicon, N. Yamamoto

# Evaporation

Heteroepitaxial growth of InSb films on a Si(0 0 1) substrate via AISb buffer layer, M. Mori, N. Akae, K. Uotani, N. Fujimoto, T. Tambo and C. Tatsuyama

# Ferroelectric properties

- Interface-controlled Gd<sub>2</sub>O<sub>3</sub>/GaAs system for ferroelectric memory application, J.-K. Yang, W.S. Kim and H.-H. Park
- Oxygen radical treatment applied to ferroelectric thin films, I. Takahashi, H. Sakurai, A. Yamada, K. Funaiwa, K. Hirai, S. Urabe, T. Goto, M. Hirayama, A. Teramoto, S. Sugawa and T. Ohmi
- An orientation ratio and ferroelectric properties of ultra-thin PTO films, K. Nishida, T. Sugino, M. Osada, M. Kakihana and T. Katoda
- Effects of the substrate on properties of PTO thin film, K. Nishida, G. Matuoka, M. Osada, M. Kakihana and T. Katoda

### Fluorescence

Nano-structure of transition-metal (Ti, Ni)/SiC system: photo-emission electron microscopy and soft X-ray fluorescence spectroscopy, M. Hirai, J.P. Labis, A. Ohi, C. Kamezawa, Y. Morikawa, K. Yoshida, M. Kusaka and M. Iwami

#### Gadolinium

Interface-controlled Gd<sub>2</sub>O<sub>3</sub>/GaAs system for ferroelectric memory application, J.-K. Yang, W.S. Kim and H.-H. Park

#### Gallium

Field-induced effects of implanted Ga on high electric field diamond devices fabricated by focused ion beam, M. Hamada, T. Teraji and T. Ito

- Properties of GaN and AlGaN Schottky contacts revealed from I-V-T and C-V-T measurements, T. Sawada, Y. Izumi, N. Kimura, K. Suzuki, K. Imai, S.-W. Kim and T. Suzuki
- First-principles study for molecular beam epitaxial growth of GaN(0 0 0 1), A. Ishii
- Thermodynamic study on compositional instability of InGaN/GaN and InGaN/InN during MBE, Y. Kangawa, T. Ito, Y. Kumagai and A. Koukitu
- Laser lift-off of very thin AlGaN film from sapphire using selective decomposition of GaN interlayer, T. Ueda, M. Ishida and M. Yuri
- Effects of surface processing on 2DEG current transport at AlGaN/GaN interface studied by gateless HFET structure, T. Inagaki, T. Hashizume and H. Hasegawa
- Composition dependence of InP/ Ga,In<sub>1-.</sub>,As,P<sub>1-.</sub>/InP interface structures analyzed by X-ray CTR scattering measurements, M. Tabuchi, H. Kyouzu, M. Takemi and Y. Takeda
- Mechanism of H<sub>2</sub> pre-annealing on the growth of GaN on sapphire by MOVPE, M. Tsuda, K. Watanabe, S. Kamiyama, H. Amano, I. Akasaki, R. Liu, A. Bell and F. A. Ponce
- Growth and annealing effect of ferromagnetic (Ga, Mn)As on Si(1 0 0) substrates, N. Uchitomi, S. Sato and Y. Jinbo 216 (

#### Gallium arsenide

- Modification of GaAs and copper surface by the formation of SiO<sub>2</sub> aerogel film as an interlayer dielectric, S.-W. Park, S.-B. Jung, M.-G. Kang, H.-H. Park and H.-C. Kim
- Interface-controlled Gd<sub>2</sub>O<sub>3</sub>/GaAs system for ferroelectric memory application, J.-K. Yang, W.S. Kim and H.-H. Park
- Pinning-free GaAs MIS structures with Si interface control layers formed on (4 × 6) reconstructed (0 0 1) surface, S. Anantathanasam and H. Hasegawa
- Real-time measurement of rocking curves during MOVPE growth of Ga,In<sub>1-x</sub>P/GaAs, S. Bhunia, T. Kawamura, Y. Watanabe, S. Fujikawa, J. Matsui, Y. Kagoshima, Y. Tsusaka, K. Uchida, N. Sugiyama, M. Furiya, S. Nozaki and H. Morisaki
- Fabrication and characterization of GaInP/ GaAs triple barrier resonant tunneling diodes grown by MOCVD, N. Asaoka, H. Funato, M. Suhara and T. Okumura
- Dynamics of In atom during InAs/GaAs(0 0 1) growth process, A. Ishii, K. Fujiwara and T. Aisaka

- 216 (2003) 192
- 216 (2003) 447
- 216 (2003) 453
- 216 (2002) 612
- 216 (2003) 512
- 216 (2003) 519
- 216 (2003) 526
- 216 (2003) 585
- 210 (2003) 383
- 216 (2003) 607
- - 216 (2003) 98
  - 210 (2003) 98
  - 216 (2003) 203

  - 216 (2003) 275
  - 216 (2003) 382
  - 216 (2003) 413
  - 216 (2003) 478

Growth mechanism in heavily carbon-doped		Hafnium	
GaAs, Sb <sub>1-x</sub> grown by MOCVD, Y. Oda, N.			
Watanabe, H. Yokoyama and T. Kobayashi	216 (2003) 532	Remote plasma-assisted nitridation (RPN):	
Improvement of power performance in planar type AlGaAs/GaAs MESFET by substrate		applications to Zr and Hf silicate alloys	
surface oxidation, T. Kagiyama, Y. Saito, K.		and Al2O3, C. Hinkle and G. Lucovsky	216 (2003) 124
Otobe and S. Nakajima	216 (2003) 542	Preparation of hafnium oxide films from oxy-	
Area-selective regrowth followed by AsH <sub>3</sub>		gen-free Hf[N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ] <sub>4</sub> precursor and their	
surface treatment and its application for		properties, K. Takahashi, M. Nakayama,	
ultra-shallow GaAs sidewall tunnel		S. Yokoyama, T. Kimura, E. Tokumitsu and H. Funakubo	216 (2003) 296
junctions, T. Ohno, Y. Oyama, K. Tezuka, K. Suto and Ji. Nishizawa	216 (2003) 549	MICE II. I WINDSWELL	210 (2003) 290
Growth sequence dependence of GaAs-on-	210 (2003) 349	H-6-1	
GaInP interface characteristics in GaAs/		Hafnium oxides	
GaInP/GaAs structures grown by low-pres-			
sure organometallic vapor phase epitaxy, A.		Comparison of thermal and plasma oxidations for HfO <sub>2</sub> /Si interface, S. Hayashi, K. Yama-	
Koizumi, Y. Fujiwara, K. Inoue, T. Yoshi-	217 (2002) 770	moto, Y. Harada, R. Mitsuhashi, K. Erigu-	
kane, A. Urakami and Y. Takeda Reactor structure dependence of interface	216 (2003) 560	chi, M. Kubota and M. Niwa	216 (2003) 228
abruptness in GalnAs/InP and GalnP/GaAs			()
grown by organometallic vapor phase epi-		Heterostructures	
taxy, Y. Fujiwara, Y. Nonogaki, R. Oga, A.		Helerostructures	
Koizumi and Y. Takeda	216 (2003) 564	Temperature dependence of flat Ge/Si(0 0 1)	
Decay rates of exciton and phonon-assisted		heterostructures as observed by CAICISS,	
recombination in asymmetric GaAs/AlAs type II superlattices, A.K. Sulaimanov, L.S.		R. Tsushima, M. Katayama, T. Fujino, M.	
Braginsky, A.M. Gilinsky, A.I. Toropov,		Shindo, T. Okuno and K. Oura	216 (2003) 19
A.K. Bakarov and K.S. Zhuravlev	216 (2003) 625	Fabrication and characterization of GalnP/	
		GaAs triple barrier resonant tunneling diodes grown by MOCVD, N. Asaoka, H.	
Germanium		Funato, M. Suhara and T. Okumura	216 (2003) 413
		Growth sequence dependence of GaAs-on-	210 (2000) 410
Temperature dependence of flat Ge/Si(0 0 1)		GaInP interface characteristics in GaAs/	
heterostructures as observed by CAICISS,		GaInP/GaAs structures grown by low-pres-	
R. Tsushima, M. Katayama, T. Fujino, M.	*** **** **	sure organometallic vapor phase epitaxy, A.	
Shindo, T. Okuno and K. Oura Precise control of size and density of self-	216 (2003) 19	Koizumi, Y. Fujiwara, K. Inoue, T. Yoshi- kane, A. Urakami and Y. Takeda	216 (2003) 560
assembled Ge dot on Si(1 0 0) by carbon-		manner of the control of the state of the st	210 (2007) 300
induced strain-engineering, Y. Wakayama,		11-1:1-	
L.V. Sokolov, N. Zakharov, P. Werner and		Hydrides	
U. Gösele	216 (2003) 419		
Systematic theoretical investigations of misci-		Area-selective regrowth followed by AsH,	
bility in Si <sub>1-x-x</sub> Ge <sub>x</sub> C <sub>y</sub> thin films, T. Ito, K. Nakamura, Y. Kangawa, K. Shiraishi, A.		surface treatment and its application for ultra-shallow GaAs sidewall tunnel	
Taguchi and H. Kageshima	216 (2003) 458	junctions, T. Ohno, Y. Oyama, K. Tezuka,	
Short-period Si/Si <sub>1</sub> , Ge, multiple quantum	210 (2003) 430	K. Suto and Ji. Nishizawa	216 (2003) 549
wells: real-time spectro-ellipsometric char-			
acterization during growth by synchrotron-		Hydrogen	
radiation-excited chemical-beam epitaxy,	****	11,410,611	
H. Akazawa	216 (2003) 554	Adsorption of Si atom on H-terminated	
0.11		Si(0 0 1)-2 × 1 surface, T. Hashizume, H.	
Gold		Kajiyama, Y. Suwa, S. Heike, S. Matsuura,	
		J. Nara and T. Ohno	216 (2003) 15
The effect of metals (Au, Ag) and oxidizing		Temperature dependence of flat Ge/Si(0 0 1)	
ambient on interfacial reactions in Au/Si and Ag/Si systems, D. Adams, B.A. Julies,		heterostructures as observed by CAICISS, R. Tsushima, M. Katayama, T. Fujino, M.	
J.W. Mayer and T.L. Alford	216 (2003) 163	Shindo, T. Okuno and K. Oura	216 (2003) 19
Process-induced defects and potential distribu-		Anomalously large band-bending for HF-trea-	2.0 (2002) 17
tion in nearly ideal Au/Si Schottky barriers.		ted p-Si surfaces, D. Watanabe, A. En, S.	
K. Maeda	216 (2003) 198	Nakamura, M. Suhara and T. Okumura	216 (2003) 24

Hydrogen-related structural changes on CVD diamond (1 0 0) surfaces by ultra-high- vacuum annealing, J. Nakamura, S. Fuku-		Dynamics of In atom during InAs/GaAs(0 0 1) growth process, A. Ishii, K. Fujiwara and T. Aisaka	216 (2003) 478
moto, T. Teraji, H. Murakami and T. Ito  Passivation of defects in polycrystalline Cu <sub>2</sub> O	216 (2003) 59	Albaka	210 (2003) 478
thin films by hydrogen or cyanide treat- ment, S. Ishizuka, S. Kato, Y. Okamoto, T. Sakurai, K. Akimoto, N. Fujiwara and H.		Indium phosphide	
Kobayashi	216 (2003) 94		
The role of vacuum ultraviolet in H <sub>2</sub> plasma treatment on SiO <sub>2</sub> aerogel film, SB. Jung, HH. Park and H. Kim	216 (2003) 156	Anisotropy of lateral growth rate in liquid phase epitaxy of {0 0 1} InP, T. Kochiya, Y. Oyama, K. Suto and JI. Nishizawa	216 (2003) 78
The role of hydrogen migration in negative-bias temperature instability, J. Ushio, K. Wata- nabe, K. Kushida-Abdelghafar and T. Mar-		In situ observation of step-terrace structures on MOVPE grown InP(0 0 1) by using grazing X-ray scattering, T. Kawamura, S. Bhunia,	
uizumi	216 (2003) 258	Y. Watanabe, S. Fujikawa, J. Matsui, Y. Kagoshima and Y. Tsusaka	214 (2002) 241
First-principle theoretical study on the electro- nic properties of SiO <sub>2</sub> models with hydro- genated impurities and charges, K. Doi, K.		Fabrication and characterization of GalnP/ GaAs triple barrier resonant tunneling	216 (2003) 361
Nakamura and A. Tachibana	216 (2003) 463	diodes grown by MOCVD, N. Asaoka, H. Funato, M. Suhara and T. Okumura	216 (2003) 413
Effects of surface processing on 2DEG current transport at AlGaN/GaN interface studied by gateless HFET structure, T. Inagaki, T.		Composition dependence of InP/ Ga,In <sub>1-x</sub> As,P <sub>1-x</sub> /InP interface structures	210 (2003) 413
Hashizume and H. Hasegawa	216 (2003) 519	analyzed by X-ray CTR scattering measure-	
Mechanism of H <sub>2</sub> pre-annealing on the growth of GaN on sapphire by MOVPE, M. Tsuda,		ments, M. Tabuchi, H. Kyouzu, M. Takemi and Y. Takeda	216 (2003) 526
K. Watanabe, S. Kamiyama, H. Amano, I.		AFM observation of OMVPE-grown ErP on	210 (2000) 120
Akasaki, R. Liu, A. Bell and F. A. Ponce	216 (2003) 585	InP substrates using a new organometal tris(ethylcyclopentadienyl)erbium (Er(EtCp) <sub>3</sub> ), T. Akane, S. Jinno, Y. Yang,	
Indium		T. Kuno, T. Hirata, Y. Isogai, N. Watanabe,	
		Y. Fujiwara, A. Nakamura and Y. Takeda Growth sequence dependence of GaAs-on-	216 (2003) 537
Study of Sb adsorption on the Si(001)–ln(4 × 3) surface, D. Gruznev, Y. Furukawa, M. Mori,		GalnP interface characteristics in GaAs/	
T. Tambo, V.G. Lifshits and C. Tatsuyama	216 (2003) 35	GaInP/GaAs structures grown by low-	
Real-time measurement of rocking curves dur-		pressure organometallic vapor phase	
ing MOVPE growth of Ga, In1_,P/GaAs, S.		epitaxy, A. Koizumi, Y. Fujiwara, K. Inoue, T. Yoshikane, A. Urakami and	
Bhunia, T. Kawamura, Y. Watanabe, S. Fujikawa, J. Matsui, Y. Kagoshima, Y. Tsu-		Y. Takeda	216 (2003) 560
saka, K. Uchida, N. Sugiyama, M. Furiya,		Reactor structure dependence of interface	
S. Nozaki and H. Morisaki	216 (2003) 382	abruptness in GaInAs/InP and GaInP/GaAs	
Thermodynamic study on compositional		grown by organometallic vapor phase epi- taxy, Y. Fujiwara, Y. Nonogaki, R. Oga, A.	
instability of InGaN/GaN and InGaN/InN during MBE, Y. Kangawa, T. Ito. Y. Kuma-		Koizumi and Y. Takeda	216 (2003) 564
gai and A. Koukitu	216 (2003) 453		
Indium antimonide		Infrared spectroscopy	
Heteroepitaxial growth of InSb films on a		Effect of Ni-Cu substrates on phase selection of	
Si(0 0 1) substrate via AlSb buffer layer,		hexagonal and cubic boron nitride thin	
M. Mori, N. Akae, K. Uotani, N. Fujimoto, T. Tambo and C. Tatsuyama	217 /2002: 5/0	films, S. Kotake, T. Hasegawa, K. Kamiya,	
1. tantoo anu C. tatsuyama	216 (2003) 569	Y. Suzuki, T. Masui, Y. Kangawa, K. Naka-	216 (2002) 72
		mura and T. Ito The role of vacuum ultraviolet in H <sub>2</sub> plasma	216 (2003) 72
Indium arsenide		treatment on SiO2 aerogel film, SB. Jung,	
Characteristics of Late Co.		HH. Park and H. Kim	216 (2003) 156
Shape transition of InAs from two-dimensional islands to three-dimensional dots by anneal-		All-optical circular polarization switching phe- nomenon observed in photo chemically	
ing, S. Iwasaki and K. Yamaguchi	216 (2003) 407	etched silicon, N. Yamamoto	216 (2003) 334

#### Growth sequence dependence of GaAs-on-Interfaces GaInP interface characteristics in GaAs/ GaInP/GaAs structures grown by low-Investigation of SiC clean surface and Ni/SiC pressure organometallic vapor phase interface using scanning tunneling microepitaxy, A. Koizumi, Y. Fujiwara, K. scopy, N. Hattori, M. Hirai, M. Kusaka and Inoue, T. Yoshikane, A. Urakami and Y. M. Iwami 216 (2003) 54 Takeda 216 (2003) 560 Anisotropy of lateral growth rate in liquid phase Formation of CaMgSi at Ca2Si/Mg2Si interepitaxy of {0 0 1} InP. T. Kochiya, Y. face, T. Hosono, M. Kuramoto, Y. Matsu-Oyama, K. Suto and J.-I. Nishizawa 216 (2003) 78 zawa, Y. Momose, Y. Maeda, T. Laser-stimulated control of interfaces at grain Matsuyama, H. Tatsuoka, Y. Fukuda, S. boundaries in polycrystalline Cd, Hg1-, Te 216 (2003) 620 Hashimoto and H. Kuwabara films, V.A. Gnatyuk, T. Aoki and Y. Hata-216 (2003) 88 naka The effect of metals (Au, Ag) and oxidizing Ion implantation ambient on interfacial reactions in Au/Si and Ag/Si systems, D. Adams, B.A. Julies, Field-induced effects of implanted Ga on high J.W. Mayer and T.L. Alford 216 (2003) 163 electric field diamond devices fabricated by Surface and interface study of Cu (film)/SiC focused ion beam, M. Hamada, T. Teraji (substrate) system, Z. An, M. Hirai, M. 216 (2003) 65 and T. Ito Kusaka and M. Iwami 216 (2003) 169 Thickness dependent integrity of gate oxide on Built-in interface in high-k gate stacks, M. SOI, M. Tsujiuchi, T. Iwamatsu, H. Nar-Hiratani, K. Torii, Y. Shimamoto and S.-I. uoka, H. Umeda, T. Ipposhi, S. Maegawa 216 (2003) 208 Saito and Y. Inoue 216 (2003) 329 Comparison of thermal and plasma oxidations for HfO-/Si interface, S. Hayashi, K. Yamamoto, Y. Harada, R. Mitsuhashi, K. Erigu-Ion scattering chi, M. Kubota and M. Niwa 216 (2003) 228 The role of hydrogen migration in negative-bias Temperature dependence of flat Ge/Si(0 0 1) temperature instability, J. Ushio, K. Wataheterostructures as observed by CAICISS, nabe, K. Kushida-Abdelghafar and T. Mar-R. Tsushima, M. Katayama, T. Fujino, M. 216 (2003) 258 mizumi Shindo, T. Okuno and K. Oura 216 (2003) 19 New intrinsic pair defects in silicon dioxide The effect of metals (Au, Ag) and oxidizing interface, I. Kitagawa and T. Maruizumi 216 (2003) 264 ambient on interfacial reactions in Au/Si Microscopic mechanism of interfacial reaction and Ag/Si systems, D. Adams, B.A. Julies, during Si oxidation, T. Akiyama and H. 216 (2003) 163 J.W. Mayer and T.L. Alford 216 (2003) 270 Kageshima Low-temperature growth of AlN on nearly Interfacial chemistry and structures of ultrathin lattice-matched MnO substrates, S. Ito, Si oxynitride films, M. Oshima, K. Kimura, H. Fujioka, J. Ohta, A. Sasaki, J. Liu, K. Ono, K. Horiba, K. Nakamura, H. Kumi-M. Yoshimoto, H. Koinuma and M. gashira, J.-H. Oh, M. Niwa, K. Usuda and Oshima 216 (2003) 508 216 (2003) 291 N. Hirashita Si/SiO2 interface attack during metal oxide growth under low oxygen pressure, K. Iron Kubo, M. Kiyohara, K. Shimoyama and 216 (2003) 307 K. Yamabe Growth of B-FeSi2 on MnSi1.7 layers by reac-Improvement of hot-carrier-reliability by deutive deposition epitaxy, M. Kohira, Y. terium termination of Si/SiO2 interface Souno, T. Matsuyama, H. Tatsuoka, I.J. defects, H. Takahashi and H. Yamada-Ohsugi, I.A. Nishida and H. Kuwabara 216 (2003) 614 216 (2003) 347 Kaneta SiO<sub>2</sub>/SiC interface proved by positron annihilation, M. Maekawa, A. Kawasuso, M. Kelvin probe techniques Yoshikawa and H. Itoh 216 (2003) 365 Ab initio study of 3C-SiC/M (M = Ti or Al) nano-hetero interfaces, S. Tanaka and M. Anomalously large band-bending for HF-trea-216 (2003) 471 ted p-Si surfaces, D. Watanabe, A. En, S. Kohvama 216 (2003) 24 dependence of InP/ Nakamura, M. Suhara and T. Okumura Composition

216 (2003) 526

Ga, In1\_, As, P1\_, /InP interface structures

analyzed by X-ray CTR scattering measurements, M. Tabuchi, H. Kyouzu, M. Takemi

and Y. Takeda

Contactless electrical characterization of sur-

and T. Okumura

face and interface of SOI materials, S.

Nakamura, D. Watanabe, A. En, M. Suhara

### Laser processing

- Laser-stimulated control of interfaces at grain boundaries in polycrystalline Cd, Hg<sub>1</sub>., Te films, V.A. Gnatyuk, T. Aoki and Y. Hatanaka
- Laser lift-off of very thin AlGaN film from sapphire using selective decomposition of GaN interlayer, T. Ueda, M. Ishida and M. Yuri

## Laser lift-off of very thin AlGaN film from sapphire using selective decomposition of GaN interlayer, T. Ueda, M. Ishida and M.

- Growth sequence dependence of GaAs-on-GaInP interface characteristics in GaAs/ GaInP/GaAs structures grown by low-pressure organometallic vapor phase epitaxy, A. Koizumi, Y. Fujiwara, K. Inoue, T. Yoshikane, A. Urakami and Y. Takeda
  - Decay rates of exciton and phonon-assisted recombination in asymmetric GaAs/AlAs type II superlattices, A.K. Sulaimanov, L.S. Braginsky, A.M. Gilinsky, A.I. Toropov, A.K. Bakarov and K.S. Zhuravlev

# huravlev 216 (2003) 625

216 (2003) 512

216 (2003) 560

216 (2003) 620

216 (2003) 402

216 (2003) 607

216 (2003) 607

# Lathetium

Lead

Katoda

Chemical and electronic structures of Lu<sub>2</sub>O<sub>3</sub>/Si interfacial transition layer, H. Nohira, T. Shiraishi, T. Nakamura, K. Takahashi, M. Takeda, S. Ohmi, H. Iwai and T. Hattori

An orientation ratio and ferroelectric properties of ultra-thin PTO films, K. Nishida, T. Sugino, M. Osada, M. Kakihana and T.

Effects of the substrate on properties of PTO

Growth mechanism of PTO on MgO at initial

Osada, M. Kakihana and T. Katoda

M. Kakihana and T. Katoda

thin film, K. Nishida, G. Matuoka, M.

stage, K. Nishida, K. Shirakata, M. Osada,

# ri 216 (2003) 234

216 (2003) 312

216 (2003) 88

216 (2003) 512

# Manganese

Low-temperature growth of AlN on nearly lattice-matched MnO substrates, S. Ito, H. Fujioka, J. Ohta, A. Sasaki, J. Liu, M. Yoshimoto, H. Koinuma and M. Oshima 216 (2003) 508

# Magnesium

Formation of CaMgSi at Ca<sub>2</sub>Si/Mg<sub>2</sub>Si interface, T. Hosono, M. Kuramoto, Y. Matsuzawa, Y. Momose, Y. Maeda, T. Matsuyama, H. Tatsuoka, Y. Fukuda, S. 16 (2003) 323

Magnesium oxide

#### Liquid phase epitaxy

Anisotropy of lateral growth rate in liquid phase epitaxy of {0 0 1} InP, T. Kochiya, Y. Oyama, K. Suto and J.-I. Nishizawa

# (

216 (2003) 78

Growth mechanism of PTO on MgO at initial stage, K. Nishida, K. Shirakata, M. Osada, M. Kakihana and T. Katoda 216 (2003) 323

#### Luminescence

- Passivation of defects in polycrystalline Cu<sub>2</sub>O thin films by hydrogen or cyanide treatment, S. Ishizuka, S. Kato, Y. Okamoto, T. Sakurai, K. Akimoto, N. Fujiwara and H. Kobayashi
- All-optical circular polarization switching phenomenon observed in photo chemically etched silicon, N. Yamamoto
- Precise control of size and density of selfassembled Ge dot on Si(1 0 0) by carboninduced strain-engineering. Y. Wakayama, L.V. Sokolov, N. Zakharov, P. Werner and U. Gösele
- Characteristics of ZnO whiskers prepared from organic-zinc, J. Kubota, K. Haga, Y. Kashiwaba, H. Watanabe, B.P. Zhang and Y. Segawa

## Magnetic measurements

- Formation and characteristics of 100-nm scale GaAs quantum wires by selective area MOVPE, H. Takahashi, Y. Miyoshi, F. Nakajima, P. Mohan, J. Motohisa and T. Fukui
- 216 (2003) 94 Fukui
  Growth and annealing effect of ferromagnetic
  (Ga, Mn)As on Si(1 0 0) substrates, N.
  Uchitomi, S. Sato and Y. Jinbo

# Manganese

- 216 (2003) 419 Growth and annealing effect of ferromagnetic (Ga. Mn)As on Si(1 0 0) substrates, N. Uchitomi, S. Sato and Y. Jinbo
- Growth of β-FeSi<sub>2</sub> on MnSi<sub>1,7</sub> layers by reactive deposition epitaxy, M. Kohira, Y.

Souno, T. Matsuyama, H. Tatsuoka, I.J. Ohsugi, I.A. Nishida and H. Kuwabara	216 (2003) 614	Nanostructures	
Mass spectroscopy		Investigation of SiC clean surface and Ni/SiC interface using scanning tunneling microscopy, N. Hattori, M. Hirai, M. Kusaka and M. Iwami	216 (2003) 54
Coexistence of passive and active oxidation for OySi(0 0 1) system observed by SiO mass spectrometry and synchrotron radiation photoemission spectroscopy, Y. Teraoka, K. Moritani and A. Yoshigoe	216 (2003) 8	Nano-structure of transition-metal (Ti, Ni)/SiC system: photo-emission electron micro- scopy and soft X-ray fluorescence spectro- scopy, M. Hirai, J.P. Labis, A. Ohi, C. Kamezawa, Y. Morikawa, K. Yoshida, M. Kusaka and M. Iwami	216 (2003) 187
Mercury		Nucleation and growth of nanocrystalline sili- con studied by TEM, XPS and ESR, K. Sato, T. Izumi, M. Iwase, Y. Show, H. Morisaki, T. Yaguchi and T. Kamino	216 (2003) 376
Laser-stimulated control of interfaces at grain			
boundaries in polycrystalline Cd, Hg <sub>1-</sub> ,Te films, V.A. Gnatyuk, T. Aoki and Y. Hata-		Nickel	
naka	216 (2003) 88		
Molecular beam epitaxy		Investigation of SiC clean surface and Ni/SiC interface using scanning tunneling micro- scopy, N. Hattori, M. Hirai, M. Kusaka and	
		M. Iwami Effect of Ni–Cu substrates on phase selection of	216 (2003) 54
Effect of surface treatment of Si substrates and annealing condition on high-k rare earth oxide gate dielectrics, C. Ohshima, J. Tagu-		hexagonal and cubic boron nitride thin films, S. Kotake, T. Hasegawa, K. Kamiya, Y. Suzuki, T. Masui, Y. Kangawa, K. Naka-	
chi, I. Kashiwagi, H. Yamamoto, S. Ohmi and H. Iwai Si/SiO <sub>2</sub> interface attack during metal oxide	216 (2003) 302	mura and T. Ito Nano-structure of transition-metal (Ti, Ni)/SiC system: photo-emission electron micro-	216 (2003) 72
growth under low oxygen pressure, K. Kubo, M. Kiyohara, K. Shimoyama and K. Yamabe	216 (2003) 307	scopy and soft X-ray fluorescence spectro- scopy, M. Hirai, J.P. Labis, A. Ohi, C. Kamezawa, Y. Morikawa, K. Yoshida, M.	
First-principles study for molecular beam epitaxial growth of GaN(0 0 0 1), A. Ishii	216 (2003) 447	Kusaka and M. Iwami	216 (2003) 187
Thermodynamic study on compositional instability of InGaN/GaN and InGaN/InN during MBE, Y. Kangawa, T. Ito, Y. Kuma-		Niobium	
gai and A. Koukitu  Dynamics of In atom during InAs/GaAs(0 0 1) growth process, A. Ishii, K. Fujiwara and T.	216 (2003) 453	Oxygen radical treatment applied to ferroelec- tric thin films, I. Takahashi, H. Sakurai, A.	
Aisaka  Study of epitaxial SrTiO <sub>3</sub> (STO) thin films grown on Si(0 0 1)–2 × 1 substrates by molecular beam epitaxy, M.N.K. Bhuiyan,	216 (2003) 478	Yamada, K. Funaiwa, K. Hirai, S. Urabe, T. Goto, M. Hirayama, A. Teramoto, S. Sugawa and T. Ohmi	216 (2003) 239
A. Matsuda, T. Yasumura, T. Tambo and C. Tatsuyama	216 (2003) 590	Nitrides	
Growth and annealing effect of ferromagnetic (Ga, Mn)As on Si(1 0 0) substrates, N. Uchitomi, S. Sato and Y. Jinbo	216 (2003) 607	Surface stress relaxation in SiO <sub>2</sub> films by plasma nitridation and nitrogen distribution in the film, A.N. Itakura, M. Shimoda and M. Kitajima	216 (2003) 41
Molecular dynamics		Theoretical study on the initial processes of nitridation of silicon thin film, S. Yoshida,	216 (2002) 141
First-principle theoretical study on the electro- nic properties of SiO <sub>2</sub> models with hydro- genated impurities and charges, K. Doi, K.		K. Doi, K. Nakamura and A. Tachibana Correlation between deposition parameters and structural modification of amorphous car- bon nitride (a-CN.) film in magnetron sput-	216 (2003) 141
Nakamura and A. Tachibana	216 (2003) 463	tering, HS. Jung and HH. Park	216 (2003) 149

Diffusion barrier properties of nano-crystalline TiZrN films in Cu/Si contact systems, M.B.		Akimoto, A. Ichimiya, S. Kikuchi, K. Ita- gaki and H. Namita	216 (2003) 83
Takeyama, T. Itoi, E. Aoyagi and A. Noya	216 (2003) 181		
Properties of GaN and AlGaN Schottky con- tacts revealed from I-V-T and C-V-T mea- surements, T. Sawada, Y. Izumi, N. Kimura,		Organo metallic vapour deposition	
K. Suzuki, K. Imai, SW. Kim and T. Suzuki	216 (2003) 192	In situ observation of step-terrace structures on MOVPE grown InP(0 0 1) by using grazing	
Electronic structure and energy band offsets for ultrathin silicon nitride on Si(1 0 0), S. Miyazaki, M. Narasaki, A. Suyama, M.		X-ray scattering, T. Kawamura, S. Bhunia, Y. Watanabe, S. Fujikawa, J. Matsui, Y. Kagoshima and Y. Tsusaka	216 (2003) 361
Yamaoka and H. Murakami First-principles study for molecular beam epi-	216 (2003) 252	Real-time measurement of rocking curves dur- ing MOVPE growth of Ga,In <sub>1-x</sub> P/GaAs, S.	
taxial growth of GaN(0 0 0 1), A. Ishii Thermodynamic study on compositional instability of InGaN/GaN and InGaN/InN	216 (2003) 447	Bhunia, T. Kawamura, Y. Watanabe, S. Fujikawa, J. Matsui, Y. Kagoshima, Y. Tsusaka, K. Uchida, N. Sugiyama, M. Furiya,	
during MBE, Y. Kangawa, T. Ito, Y. Kuma- gai and A. Koukitu	216 (2003) 453	S. Nozaki and H. Morisaki Formation and characteristics of 100-nm scale	216 (2003) 382
Low-temperature growth of AlN on nearly lattice-matched MnO substrates, S. Ito, H.		GaAs quantum wires by selective area MOVPE, H. Takahashi, Y. Miyoshi, F.	
Fujioka, J. Ohta, A. Sasaki, J. Liu, M. Yoshimoto, H. Koinuma and M. Oshima	216 (2003) 508	Nakajima, P. Mohan, J. Motohisa and T. Fukui	216 (2003) 402
Laser lift-off of very thin AlGaN film from sapphire using selective decomposition of		First-principles study for molecular beam epi- taxial growth of GaN(0 0 0 1), A. Ishii Growth of GaN on ZrB <sub>2</sub> substrate by metal-	216 (2003) 447
GaN interlayer, T. Ueda, M. Ishida and M. Yuri Effects of surface processing on 2DEG current	216 (2003) 512	organic vapor phase epitaxy, Y. Tomida, S. Nitta, S. Kamiyama, H. Amano, I. Akasaki,	
transport at AlGaN/GaN interface studied by gateless HFET structure, T. Inagaki, T.		S. Otani, H. Kinoshita, R. Liu, A. Bell and F.A. Ponce	216 (2003) 502
Hashizume and H. Hasegawa Mechanism of H <sub>2</sub> pre-annealing on the growth	216 (2003) 519	AFM observation of OMVPE-grown ErP on InP substrates using a new organometal	
of GaN on sapphire by MOVPE, M. Tsuda, K. Watanabe, S. Kamiyama, H. Amano, I.		tris(ethylcyclopentadienyl)erbium (Er(EtCp) <sub>3</sub> ), T. Akane, S. Jinno, Y. Yang, T.	
Akasaki, R. Liu, A. Bell and F. A. Ponce	216 (2003) 585	Kuno, T. Hirata, Y. Isogai, N. Watanabe, Y. Fujiwara, A. Nakamura and Y. Takeda	216 (2003) 537
Nitrogen		Growth sequence dependence of GaAs-on- GaInP interface characteristics in GaAs/ GaInP/GaAs structures grown by low-pres-	
Remote plasma-assisted nitridation (RPN): applications to Zr and Hf silicate alloys		sure organometallic vapor phase epitaxy, A. Koizumi, Y. Fujiwara, K. Inoue, T. Yoshi-	
and Al <sub>2</sub> O <sub>3</sub> , C. Hinkle and G. Lucovsky	216 (2003) 124	kane, A. Urakami and Y. Takeda Reactor structure dependence of interface abruptness in GaInAs/InP and GaInP/GaAs	216 (2003) 560
Optical properties		grown by organometallic vapor phase epi- taxy, Y. Fujiwara, Y. Nonogaki, R. Oga, A.	
Lattice distortion near InGaP compound semi- conductor surface due to surface treatment		Koizumi and Y. Takeda Mechanism of H <sub>2</sub> pre-annealing on the growth	216 (2003) 564
of bias sputtering, T. Emoto, Y. Yoshida, K. Akimoto, A. Ichimiya, S. Kikuchi, K. Ita-		of GaN on sapphire by MOVPE, M. Tsuda, K. Watanabe, S. Kamiyama, H. Amano, I.	214 (2002) 505
gaki and H. Namita All-optical circular polarization switching phe-	216 (2003) 83	Akasaki, R. Liu, A. Bell and F. A. Ponce	216 (2003) 585
nomenon observed in photo chemically etched silicon. N. Yamamoto	216 (2003) 334	Oxidation	
The state of the s		Coexistence of passive and active oxidation for	
Organic substances		O <sub>2</sub> /Si(0 0 1) system observed by SiO mass spectrometry and synchrotron radiation	
Lattice distortion near InGaP compound semi- conductor surface due to surface treatment		photoemission spectroscopy, Y. Teraoka, K. Moritani and A. Yoshigoe Phase transition from Langmuir-type adsorp-	216 (2003) 8
of bias sputtering, T. Emoto, Y. Yoshida, K.		tion to two-dimensional oxide island	

growth during oxidation on Si(0 0 1) surface, Y. Takakuwa, F. Ishida and T. Kawawa	216 (2003) 133	Effects of the substrate on properties of PTO thin film, K. Nishida, G. Matuoka, M.	
The effect of metals (Au, Ag) and oxidizing ambient on interfacial reactions in Au/Si and Ag/Si systems, D. Adams, B.A. Julies,		Osada, M. Kakihana and T. Katoda Growth mechanism of PTO on MgO at initial stage, K. Nishida, K. Shirakata, M. Osada,	216 (2003) 318
J.W. Mayer and T.L. Alford	216 (2003) 163	M. Kakihana and T. Katoda	216 (2003) 323
Comparison of thermal and plasma oxidations for HfO <sub>2</sub> /Si interface, S. Hayashi, K. Yama- moto, Y. Harada, R. Mitsuhashi, K. Erigu-		Thickness dependent integrity of gate oxide on SOI, M. Tsujiuchi, T. Iwamatsu, H. Nar- uoka, H. Umeda, T. Ipposhi, S. Maegawa	
chi, M. Kubota and M. Niwa Microscopic mechanism of interfacial reaction during Si oxidation, T. Akiyama and H.	216 (2003) 228	and Y. Inoue Low-temperature growth of AlN on nearly lattice-matched MnO substrates, S. Ito, H.	216 (2003) 329
Kageshima	216 (2003) 270	Fujioka, J. Ohta, A. Sasaki, J. Liu, M.	
Real-time monitoring of oxidation on the Ti(0 0 0 1) surface by synchrotron radiation photoelectron spectroscopy and RHEED– AES, Y. Takakuwa, S. Ishidzuka, A. Yoshi- goe, Y. Feraoka, Y. Yamauchi, Y. Mizuno,		Yoshimoto, H. Koinuma and M. Oshima Study of epitaxial SrTiO <sub>3</sub> (STO) thin films grown on Si(0 0 1)–2 × 1 substrates by molecular beam epitaxy, M.N.K. Bhuiyan, A. Matsuda, T. Yasumura, T. Tambo and C.	216 (2003) 508
H. Tonda and T. Homma	216 (2003) 395	Tatsuyama	216 (2003) 590
Improvement of power performance in planar type AlGaAs/GaAs MESFET by substrate			
surface oxidation, T. Kagiyama, Y. Saito, K. Otobe and S. Nakajima	216 (2003) 542	Oxygen	
		Oxygen radical treatment applied to ferroelec-	
		tric thin films, I. Takahashi, H. Sakurai, A. Yamada, K. Funaiwa, K. Hirai, S. Urabe, T. Goto, M. Hirayama, A. Teramoto, S.	
Oxides		Sugawa and T. Ohmi Thickness dependent integrity of gate oxide on	216 (2003) 239
Passivation of defects in polycrystalline Cu <sub>2</sub> O thin films by hydrogen or cyanide treat- ment, S. Ishizuka, S. Kato, Y. Okamoto, T.		SOI, M. Tsujiuchi, T. Iwamatsu, H. Nar- uoka, H. Umeda, T. Ipposhi, S. Maegawa and Y. Inoue	216 (2003) 329
Sakurai, K. Akimoto, N. Fujiwara and H. Kobayashi	216 (2003) 94		
Interface-controlled Gd2O4/GaAs system for	210 (2000)	Oxynitrides	
ferroelectric memory application, JK. Yang, W.S. Kim and HH. Park	216 (2003) 203		
Chemical and electronic structures of Lu <sub>2</sub> O <sub>3</sub> /Si interfacial transition layer, H. Nohira, T.	210 (2003) 203	Surface stress relaxation in SiO <sub>2</sub> films by plasma nitridation and nitrogen distribution in the film, A.N. Itakura, M. Shimoda and	
Shiraishi, T. Nakamura, K. Takahashi, M. Takeda, S. Ohmi, H. Iwai and T. Hattori	216 (2003) 234	M. Kitajima  Depth profiling of oxynitride film formed on	216 (2003) 41
Oxygen radical treatment applied to ferroelec- tric thin films, I. Takahashi, H. Sakurai, A. Yamada, K. Funaiwa, K. Hirai, S. Urabe, T. Goto, M. Hirayama, A. Teramoto, S.		Si(1 0 0) by photon energy dependent photoelectron spectroscopy, K. Nishizaki, H. Nohira, K. Takahashi, N. Kamakura, Y.	
Sugawa and T. Ohmi	216 (2003) 239	Takata, S. Shin, K. Kobayashi, N. Tamura, K. Hikazutani and T. Hattori	216 (2003) 287
Preparation of hafnium oxide films from oxy- gen-free Hf[N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ] <sub>4</sub> precursor and their properties, K. Takahashi, M. Nakayama, S. Yokoyama, T. Kimura, E. Tokumitsu		Interfacial chemistry and structures of ultrathin Si oxynitride films, M. Oshima, K. Kimura, K. Ono, K. Horiba, K. Nakamura, H. Kumi- gashira, JH. Oh, M. Niwa, K. Usuda and	
and H. Funakubo	216 (2003) 296	N. Hirashita	216 (2003) 291
Effect of surface treatment of Si substrates and annealing condition on high-k rare earth oxide gate dielectrics, C. Ohshima, J. Tagu-		Phase transition	
chi, I. Kashiwagi, H. Yamamoto, S. Ohmi and H. Iwai	216 (2003) 302	I THESE STERRISHEOVE	
Si/SiO <sub>2</sub> interface attack during metal oxide	210 (2003) 302	Phase transition from Langmuir-type adsorp-	
growth under low oxygen pressure, K. Kubo, M. Kiyohara, K. Shimoyama and	214 (2002) 207	tion to two-dimensional oxide island growth during oxidation on Si(0 0 1) sur-	214 (2002) 122
K. Yamabe	216 (2003) 307	face, Y. Takakuwa, F. Ishida and T. Kawawa	216 (2003) 133

### Phosphides

AFM observation of OMVPE-grown ErP on InP substrates using a new organometal tris(ethylcyclopentadienyl)erbium (Er(EtCp)1), T. Akane, S. Jinno, Y. Yang, T. Kuno, T. Hirata, Y. Isogai, N. Watanabe, Y. Fujiwara, A. Nakamura and Y. Takeda

#### Band offset energies in zirconium silicate Si alloys, G. Lucovsky, B. Rayner, Y. Zhang, G. Appel and J. Whitten

- Diffusion and incorporation of Zr into thermally grown SiO<sub>2</sub> on Si(1 0 0), M. Yamaoka, H. Murakami and S. Miyazaki
- 216 (2003) 223

216 (2003) 215

216 (2003) 228

216 (2003) 234

216 (2003) 252

216 (2003) 275

216 (2003) 287

216 (2003) 291

216 (2003) 296

216 (2003) 302

216 (2003) 351

216 (2003) 376

216 (2003) 395

216 (2003) 519

216 (2003) 537

216 (2003) 382

216 (2003) 8

216 (2003) 41

216 (2003) 98

216 (2003) 106

216 (2003) 124

216 (2003) 149

216 (2003) 169

216 (2003) 187

216 (2003) 203

- Comparison of thermal and plasma oxidations for HfO-/Si interface, S. Hayashi, K. Yamamoto, Y. Harada, R. Mitsuhashi, K. Eriguchi, M. Kubota and M. Niwa
- Chemical and electronic structures of Lu<sub>2</sub>O<sub>3</sub>/Si interfacial transition layer, H. Nohira, T. Shiraishi, T. Nakamura, K. Takahashi, M. Takeda, S. Ohmi, H. Iwai and T. Hattori
- Electronic structure and energy band offsets for ultrathin silicon nitride on Si(1 0 0), S. Miyazaki, M. Narasaki, A. Suyama, M. Yamaoka and H. Murakami
- Pinning-free GaAs MIS structures with Si interface control layers formed on (4 × 6) reconstructed (0 0 1) surface, S. Anantathanasarn and H. Hasegawa
- Depth profiling of oxynitride film formed on Si(1 0 0) by photon energy dependent photoelectron spectroscopy, K. Nishizaki, H. Nohira, K. Takahashi, N. Kamakura, Y. Takata, S. Shin, K. Kobayashi, N. Tamura, K. Hikazutani and T. Hattori
- Interfacial chemistry and structures of ultrathin Si oxynitride films, M. Oshima, K. Kimura, K. Ono, K. Horiba, K. Nakamura, H. Kumigashira, J.-H. Oh, M. Niwa, K. Usuda and N. Hirashita
- Preparation of hafnium oxide films from oxygen-free Hf[N(C<sub>2</sub>H<sub>8</sub>)<sub>2</sub>]<sub>L</sub> precursor and their properties, K. Takahashi, M. Nakayama, S. Yokoyama, T. Kimura, E. Tokumitsu and H. Funakubo
- Effect of surface treatment of Si substrates and annealing condition on high-k rare earth oxide gate dielectrics, C. Ohshima, J. Taguchi, I. Kashiwagi, H. Yamamoto, S. Ohmi and H. Iwai
- Characterization of dielectric properties of ultrathin SiO<sub>2</sub> film formed on Si substrate, K. Hirose, H. Kitahara and T. Hattori
  - Nucleation and growth of nanocrystalline silicon studied by TEM, XPS and ESR, K. Sato, T. Izumi, M. Iwase, Y. Show, H. Morisaki, T. Yaguchi and T. Kamino
- Real-time monitoring of oxidation on the Ti(0 0 0 1) surface by synchrotron radiation photoelectron spectroscopy and RHEED-AES, Y. Takakuwa, S. Ishidzuka, A. Yoshigoe, Y. Teraoka, Y. Yamauchi, Y. Mizuno, H. Tonda and T. Homma
  - Effects of surface processing on 2DEG current transport at AlGaN/GaN interface studied by gateless HFET structure, T. Inagaki, T. Hashizume and H. Hasegawa

# Phosphorus

- Real-time measurement of rocking curves during MOVPE growth of Ga,In<sub>1-1</sub>P/GaAs, S. Bhunia, T. Kawamura, Y. Watanabe, S. Fujikawa, J. Matsui, Y. Kagoshima, Y. Tsusaka, K. Uchida, N. Sugiyama, M. Furiya, S. Nozaki and H. Morisaki
- Photoelectron spectroscopy
- Coexistence of passive and active oxidation for O<sub>2</sub>/Si(0 0 1) system observed by SiO mass spectrometry and synchrotron radiation photoemission spectroscopy. Y. Teraoka, K. Moritani and A. Yoshigoe
- Surface stress relaxation in SiO<sub>2</sub> films by plasma nitridation and nitrogen distribution in the film, A.N. Itakura, M. Shimoda and M. Kitaiima
- Modification of GaAs and copper surface by the formation of SiO<sub>2</sub> aerogel film as an interlayer dielectric, S.-W. Park, S.-B. Jung, M.-G. Kang, H.-H. Park and H.-C. Kim
- Interface formation and properties of α-NPD thermally deposited on CVD diamond films, M.-S. Chun, T. Teraji and T. Ito
- Remote plasma-assisted nitridation (RPN): applications to Zr and Hf silicate alloys and Al<sub>2</sub>O<sub>3</sub>, C. Hinkle and G. Lucovsky
- Correlation between deposition parameters and structural modification of amorphous carbon nitride (a-CN<sub>1</sub>) film in magnetron sputtering, H.-S. Jung and H.-H. Park
- Surface and interface study of Cu (film)/SiC (substrate) system, Z. An, M. Hirai, M. Kusaka and M. Iwami
- Nano-structure of transition-metal (Ti, Ni)/SiC system: photo-emission electron microscopy and soft X-ray fluorescence spectroscopy, M. Hirai, J.P. Labis, A. Ohi, C. Kamezawa, Y. Morikawa, K. Yoshida, M. Kusaka and M. Iwami
- Interface-controlled Gd<sub>2</sub>O<sub>2</sub>/GaAs system for ferroelectric memory application, J.-K. Yang, W.S. Kim and H.-H. Park

216 (2003) 113

216 (2003) 41

216 (2003) 124

216 (2003) 156

216 (2003) 215

216 (2003) 228

216 (2003) 239

216 (2003) 318

216 (2003) 323

216 (2003) 519

216 (2003) 580

216 (2003) 596

216 (2003) 365

# Photovoltaic effects

Contactless electrical characterization of surface and interface of SOI materials, S. Nakamura, D. Watanabe, A. En, M. Suhara and T. Okumura

# Pulsed laser deposition

Quantum effects

Low-temperature growth of AlN on nearly lattice-matched MnO substrates, S. Ito, H. Fujioka, J. Ohta, A. Sasaki, J. Liu, M. Yoshimoto, H. Koinuma and M. Oshima

# 216 (2003) 508

216 (2003) 407

216 (2003) 419

# Plasma processing

- Surface stress relaxation in SiO<sub>2</sub> films by plasma nitridation and nitrogen distribution in the film, A.N. Itakura, M. Shimoda and M. Kitajima
- Remote plasma-assisted nitridation (RPN): applications to Zr and Hf silicate alloys and Al<sub>2</sub>O<sub>3</sub>, C. Hinkle and G. Lucovsky
- The role of vacuum ultraviolet in H<sub>2</sub> plasma treatment on SiO<sub>2</sub> aerogel film, S.-B. Jung, H.-H. Park and H. Kim
- Band offset energies in zirconium silicate Si alloys, G. Lucovsky, B. Rayner, Y. Zhang, G. Appel and J. Whitten
- Comparison of thermal and plasma oxidations for HfO<sub>2</sub>/Si interface, S. Hayashi, K. Yamamoto, Y. Harada, R. Mitsuhashi, K. Eriguchi, M. Kubota and M. Niwa
- Oxygen radical treatment applied to ferroelectric thin films, I. Takahashi, H. Sakurai, A. Yamada, K. Funaiwa, K. Hirai, S. Urabe, T. Goto, M. Hirayama, A. Teramoto, S. Sugawa and T. Ohmi
- Effects of the substrate on properties of PTO thin film, K. Nishida, G. Matuoka, M. Osada, M. Kakihana and T. Katoda
- Growth mechanism of PTO on MgO at initial stage, K. Nishida, K. Shirakata, M. Osada, M. Kakihana and T. Katoda
- Effects of surface processing on 2DEG current transport at AlGaN/GaN interface studied by gateless HFET structure, T. Inagaki, T. Hashizume and H. Hasegawa
- Radio frequency power dependence of the characteristics of 3C-SiC on Si grown by triode plasma CVD using dimethylsilane. K. Yasui, M. Hashiba and T. Akahane
- Improved surface morphology of sulfurdoped homoepitaxial diamond films by plasma CVD method with SF<sub>6</sub> Grading— Doping profile, S. Fujii, S. Hino and T. Kobayashi

- Shape transition of InAs from two-dimensional islands to three-dimensional dots by annealing, S. Iwasaki and K. Yamaguchi
- Precise control of size and density of selfassembled Ge dot on Si(1 0 0) by carboninduced strain-engineering. Y. Wakayama, L.V. Sokolov, N. Zakharov, P. Werner and U. Gösele
- Dynamics of In atom during InAs/GaAs(0 0 1) growth process, A. Ishii, K. Fujiwara and T. Aisaka
- Short-period Si/Si1...Ge, multiple quantum wells: real-time spectro-ellipsometric characterization during growth by synchrotronradiation-excited chemical-beam epitaxy. H. Akazawa

# 216 (2003) 478

216 (2003) 554

- Raman scattering
- Correlation between deposition parameters and structural modification of amorphous carbon nitride (a-CN<sub>x</sub>) film in magnetron sputtering, H.-S. Jung and H.-H. Park
- Growth mechanism of PTO on MgO at initial stage, K. Nishida, K. Shirakata, M. Osada, M. Kakihana and T. Katoda

# 216 (2003) 149

216 (2003) 323

216 (2003) 15

216 (2003) 30

216 (2003) 35

216 (2003) 54

216 (2003) 59

- Scanning tunneling microscopy
- Adsorption of Si atom on H-terminated Si(0 0 1)-2 × 1 surface, T. Hashizume, H. Kajiyama, Y. Suwa, S. Heike, S. Matsuura, J. Nara and T. Ohno
  - Stochastic motion of 7 × 7 kinks at monoatomic step edges on the Si(1 1 1) surface, T. Fukuda, S. Maeda and H. Nakayama
  - Study of Sb adsorption on the Si(001)-In(4 × 3) surface, D. Gruznev, Y. Furukawa, M. Mori, T. Tambo, V.G. Lifshits and C. Tatsuyama
  - Investigation of SiC clean surface and Ni/SiC interface using scanning tunneling microscopy, N. Hattori, M. Hirai, M. Kusaka and M. Iwami
  - Hydrogen-related structural changes on CVD diamond (1 0 0) surfaces by ultra-highvacuum annealing, J. Nakamura, S. Fukumoto, T. Teraji, H. Murakami and T. Ito
- Effect of Al interlayers on two-step epitaxial growth of CoSi<sub>2</sub> on Si(100), O. Nakatsuka,

# Position annihilation

SiO/SiC interface proved by positron annihilation, M. Mackawa, A. Kawasuso, M. Yoshikawa and H. Itoh

H. Onoda, E. Okada, H. Ikeda, A. Sakai, S. Zaima and Y. Yasuda	216 (2003) 174	Semiconductors	
Si submonolayer and monolayer digital growth operation techniques using Si <sub>2</sub> H <sub>6</sub> , as atom- ically controlled growth nanotechnology, Y. Suda, N. Hosoya and K. Miki	216 (2003) 424	Epitaxial growth of 4H-SiC(0 3 3 8) and control of MOS interface, T. Kimoto, T. Hirao, K. Fujihira, H. Kosugi, K. Danno and H. Matsunami	216 (2003) 497
Schottky barrier		Silane	
Properties of GaN and AlGaN Schottky contacts revealed from I-V-T and C-V-T measurements, T. Sawada, Y. Izumi, N. Kimura, K. Suzuki, K. Imai, SW. Kim and T. Suzuki	216 (2003) 192	Si submonolayer and monolayer digital growth operation techniques using Si <sub>2</sub> H <sub>6</sub> , as atomically controlled growth nanotechnology, Y. Suda, N. Hosoya and K. Miki Initial stage of 3C–SiC growth on Si(001)–2 × 1 surface using monomethylsilane, Y. Narita,	216 (2003) 424
Process-induced defects and potential distribu- tion in nearly ideal Au/Si Schottky barriers, K. Maeda	216 (2003) 198	T. Inubushi, M. Harashima, K. Yasui and T. Akahane Radio frequency power dependence of the	216 (2003) 575
Ab initio study of 3C-SiC/M (M = Ti or Al) nano-hetero interfaces, S. Tanaka and M. Kohyama	216 (2003) 471	characteristics of 3C-SiC on Si grown by triode plasma CVD using dimethylsilane, K. Yasui, M. Hashiba and T. Akahane	216 (2003) 580
A field effect transistor using highly nitrogen- doped CVD diamond for power device applications, Y. Yokoyama, X. Li, K. Sheng, A. Mihaila, T. Traikovic, F. Udrea, G.A.J. Amaratunga and K. Okano	216 (2003) 483	Silicides	210 (2003) 200
Secondary ion mass spectroscopy		Effect of Al interlayers on two-step epitaxial growth of CoSi <sub>2</sub> on Si(1 0 0), O. Nakatsuka, H. Onoda, E. Okada, H. Ikeda, A. Sakai, S. Zaima and Y. Yasuda	216 (2003) 174
Diffusion barrier properties of nano-crystalline TiZrN films in Cu/Si contact systems, M.B. Takeyama, T. Itoi, E. Aoyagi and	216 (2003) 181	Si/SiO <sub>2</sub> interface attack during metal oxide growth under low oxygen pressure, K. Kubo, M. Kiyohara, K. Shimoyama and K. Yamabe	216 (2003) 307
A. Noya     Improvement of hot-carrier-reliability by deuterium termination of Si/SiO <sub>2</sub> interface defects, H. Takahashi and H. Yamada-Kaneta	216 (2003) 181	Growth of β-FeSi <sub>2</sub> on MnSi <sub>1,7</sub> layers by reac- tive deposition epitaxy, M. Kohira, Y. Souno, T. Matsuyama, H. Tatsuoka, I.J. Ohsugi, I.A. Nishida and H. Kuwabara Formation of CaMgSi at Ca-Si/Mg <sub>2</sub> Si inter-	216 (2003) 614
Study of Cu and Co gettering mechanism using radioactive isotope tracers, K. Matsukawa, H. Naruoka, N. Hattori and Y. Mashiko Reactor structure dependence of interface	216 (2003) 371	face, T. Hosono, M. Kuramoto, Y. Matsu- zawa, Y. Momose, Y. Maeda, T. Matsuyama, H. Tatsuoka, Y. Fukuda, S. Hashimoto and H. Kuwabara	216 (2003) 620
abruptness in GalnAs/InP and GalnP/GaAs grown by organometallic vapor phase epi- taxy, Y. Fujiwara, Y. Nonogaki, R. Oga, A. Koizumi and Y. Takeda	216 (2003) 564	Silicon	
Improved surface morphology of sulfur- doped homoepitaxial diamond films by plasma CVD method with SF <sub>0</sub> Grading—	210 (2002) 201	The National Si-Soft Project, CY. Chang and C.V. Trappey Coexistence of passive and active oxidation for	216 (2003) 2
Doping profile, S. Fujii, S. Hino and T. Kobayashi	216 (2003) 596	O <sub>2</sub> /Si(0 0 1) system observed by SiO mass spectrometry and synchrotron radiation photoemission spectroscopy, Y. Teraoka, K. Moritani and A. Yoshigoe	216 (2003) 8
Secondary ion spectroscopy		Adsorption of Si atom on H-terminated Si(0 0 1)-2 × 1 surface, T. Hashizume, H. Kajiyama, Y. Suwa, S. Heike, S. Matsuura,	
Remote plasma-assisted nitridation (RPN): applications to Zr and Hf silicate alloys and Al <sub>2</sub> O <sub>3</sub> , C. Hinkle and G. Lucovsky	216 (2003) 124	J. Nara and T. Ohno Temperature dependence of flat Ge/Si(0 0 1) heterostructures as observed by CAICISS,	216 (2003) 15

R. Tsushima, M. Katayama, T. Fujino, M. Shindo, T. Okuno and K. Oura  Anomalously large band-bending for HF-treated p-Si surfaces, D. Watanabe, A. En, S.	216 (2003) 19	Pinning-free GaAs MIS structures with Si inter- face control layers formed on (4 × 6) reconstructed (0 0 1) surface, S. Anantatha- nasam and H. Hasegawa	216 (2002) 276
Nakamura, M. Suhara and T. Okumura Stochastic motion of 7 × 7 kinks at monoa- tomic step edges on the Si(111) surface, T. Fukuda, S. Maeda and H. Nakayama	216 (2003) 24 216 (2003) 30	Depth profiling of oxynitride film formed on Si(1 0 0) by photon energy dependent photoelectron spectroscopy, K. Nishizaki, H. Nohira, K. Takahashi, N. Kamakura, Y.	216 (2003) 275
Study of Sb adsorption on the Si(001)-In(4 × 3) surface, D. Gruznev, Y. Furukawa, M. Mori,		Takata, S. Shin, K. Kobayashi, N. Tamura, K. Hikazutani and T. Hattori	216 (2003) 287
T. Tambo, V.G. Lifshits and C. Tatsuyama Contactless electrical characterization of sur- face and interface of SOI materials, S. Nakamura, D. Watanabe, A. En, M. Suhara	216 (2003) 35	Interfacial chemistry and structures of ultrathin Si oxynitride films, M. Oshima, K. Kimura, K. Ono, K. Horiba, K. Nakamura, H. Kumi- gashira, JH. Oh, M. Niwa, K. Usuda and	
and T. Okumura	216 (2003) 113	N. Hirashita	216 (2003) 291
Remote plasma-assisted nitridation (RPN): applications to Zr and Hf silicate alloys		Effect of surface treatment of Si substrates and annealing condition on high-k rare earth	
and Al <sub>2</sub> O <sub>3</sub> , C. Hinkle and G. Lucovsky Phase transition from Langmuir-type adsorp-	216 (2003) 124	oxide gate dielectrics, C. Ohshima, J. Tagu- chi, I. Kashiwagi, H. Yamamoto, S. Ohmi	
tion to two-dimensional oxide island growth during oxidation on Si(0 0 1)		and H. Iwai Si/SiO <sub>2</sub> interface attack during metal oxide	216 (2003) 302
surface, Y. Takakuwa, F. Ishida and T. Kawawa	216 (2003) 133	growth under low oxygen pressure, K. Kubo, M. Kiyohara, K. Shimoyama and	
Theoretical study on the initial processes of		K. Yamabe	216 (2003) 307
nitridation of silicon thin film, S. Yoshida, K. Doi, K. Nakamura and A. Tachibana	216 (2003) 141	Thickness dependent integrity of gate oxide on SOI, M. Tsujiuchi, T. Iwamatsu, H. Nar-	,,
The effect of metals (Au, Ag) and oxidizing	210 (2000) 141	uoka, H. Umeda, T. Ipposhi, S. Maegawa	
ambient on interfacial reactions in Au/Si and Ag/Si systems, D. Adams, B.A. Julies,		and Y. Inoue All-optical circular polarization switching phe-	216 (2003) 329
J.W. Mayer and T.L. Alford	216 (2003) 163	nomenon observed in photo chemically	
Effect of Al interlayers on two-step epitaxial	210 (2000) 100	etched silicon, N. Yamamoto	216 (2003) 334
growth of CoSi <sub>2</sub> on Si(100), O. Nakatsuka, H. Onoda, E. Okada, H. Ikeda, A. Sakai, S.		Improvement of hot-carrier-reliability by deu- terium termination of Si/SiO <sub>2</sub> interface	
Zaima and Y. Yasuda	216 (2003) 174	defects, H. Takahashi and H. Yamada-	
Process-induced defects and potential distribu- tion in nearly ideal Au/Si Schottky barriers,		Kaneta Characterization of dielectric properties of	216 (2003) 347
K. Maeda	216 (2003) 198	ultrathin SiO <sub>2</sub> film formed on Si substrate,	
Band offset energies in zirconium silicate Si alloys, G. Lucovsky, B. Rayner, Y. Zhang.		K. Hirose, H. Kitahara and T. Hattori	216 (2003) 351
G. Appel and J. Whitten	216 (2003) 215	SiO <sub>2</sub> /SiC interface proved by positron annihi- lation, M. Maekawa, A. Kawasuso, M.	
Diffusion and incorporation of Zr into ther-		Yoshikawa and H. Itoh	216 (2003) 365
mally grown SiO2 on Si(1 0 0), M.		Nucleation and growth of nanocrystalline sili-	
Yamaoka, H. Murakami and S. Miyazaki	216 (2003) 223	con studied by TEM, XPS and ESR, K.	
Comparison of thermal and plasma oxidations for HfO <sub>2</sub> /Si interface, S. Hayashi, K. Yama-		Sato, T. Izumi, M. Iwase, Y. Show, H. Morisaki, T. Yaguchi and T. Kamino	216 (2003) 376
moto, Y. Harada, R. Mitsuhashi, K. Erigu-		Precise control of size and density of self-	210 (2003) 370
chi, M. Kubota and M. Niwa	216 (2003) 228	assembled Ge dot on Si(1 0 0) by carbon-	
Chemical and electronic structures of Lu <sub>2</sub> O <sub>3</sub> /Si		induced strain-engineering, Y. Wakayama,	
interfacial transition layer, H. Nohira, T. Shiraishi, T. Nakamura, K. Takahashi,		L.V. Sokolov, N. Zakharov, P. Werner and U. Gösele	216 (2003) 419
M. Takeda, S. Ohmi, H. Iwai and T. Hattori	216 (2003) 234	Si submonolayer and monolayer digital growth	210 (2003) 419
The role of hydrogen migration in negative-bias		operation techniques using Si <sub>2</sub> H <sub>6</sub> as atom-	
temperature instability, J. Ushio, K. Wata- nabe, K. Kushida-Abdelghafar and T. Mar-		ically controlled growth nanotechnology, Y. Suda, N. Hosoya and K. Miki	216 (2003) 424
uizumi	216 (2003) 258	Systematic theoretical investigations of misci-	210 (2003) 424
New intrinsic pair defects in silicon dioxide		bility in Si1-, , Ge, C, thin films, T. Ito, K.	
interface, I. Kitagawa and T. Maruizumi	216 (2003) 264	Nakamura, Y. Kangawa, K. Shiraishi, A.	217 -2002
Microscopic mechanism of interfacial reaction during Si oxidation, T. Akiyama and H.		Taguchi and H. Kageshima Short-period Si/Si <sub>1</sub> ,Ge, multiple quantum	216 (2003) 458
Kageshima	216 (2003) 270	wells: real-time spectro-ellipsometric char-	
		The state of the s	

acterization during growth by synchrotron- radiation-excited chemical-beam epitaxy,	216 (2002) 554	Miyazaki, M. Narasaki, A. Suyama, M. Yamaoka and H. Murakami	216 (2003) 252
H. Akazawa Heteroepitaxial growth of InSb films on a Si(0 0 1) substrate via AlSb buffer layer, M. Mori, N. Akae, K. Uotani, N. Fujimoto,	216 (2003) 554	Silicon oxide	
T. Tambo and C. Tatsuyama  Initial stage of 3C–SiC growth on Si(001)–2×1 surface using monomethylsilane, Y. Narita, T. Inubushi, M. Harashima, K. Yasui and	216 (2003) 569	Surface stress relaxation in SiO <sub>2</sub> films by plasma nitridation and nitrogen distribution in the film, A.N. Itakura, M. Shimoda and	
T. Akahane Study of epitaxial SrTiO <sub>3</sub> (STO) thin films grown on Si(0 0 1)-2 × 1 substrates by	216 (2003) 575	M. Kitajima Modification of GaAs and copper surface by the formation of SiO <sub>2</sub> aerogel film as an interlayer dielectric, SW. Park, SB. Jung.	216 (2003) 41
molecular beam epitaxy, M.N.K. Bhuiyan, A. Matsuda, T. Yasumura, T. Tambo and C. Tatsuyama	216 (2003) 590	MG. Kang, HH. Park and HC. Kim The role of vacuum ultraviolet in H <sub>2</sub> plasma treatment on SiO <sub>2</sub> aerogel film, SB. Jung,	216 (2003) 98
Growth and annealing effect of ferromagnetic (Ga, Mn)As on Si(1 0 0) substrates, N. Uchitomi, S. Sato and Y. Jinbo	216 (2003) 607	HH. Park and H. Kim Built-in interface in high-κ gate stacks, M. Hiratani, K. Torii, Y. Shimamoto and SI.	216 (2003) 156
Silicon carbide		Saito Diffusion and incorporation of Zr into thermally grown SiO <sub>2</sub> on Si(1 0 0), M.	216 (2003) 208
Investigation of SiC clean surface and Ni/SiC interface using scanning tunneling micro- scopy, N. Hattori, M. Hirai, M. Kusaka and M. Iwami	216 (2003) 54	Yamaoka, H. Murakami and S. Miyazaki The role of hydrogen migration in negative-bias temperature instability, J. Ushio, K. Wata- nabe, K. Kushida-Abdelghafar and T. Mar-	216 (2003) 223
Surface and interface study of Cu (film)/SiC (substrate) system, Z. An, M. Hirai, M.		uizumi New intrinsic pair defects in silicon dioxide	216 (2003) 258
Kusaka and M. Iwami Nano-structure of transition-metal (Ti, Ni)/SiC system: photo-emission electron micro- scopy and soft X-ray fluorescence spectro- scopy, M. Hirai, J.P. Labis, A. Ohi, C.	216 (2003) 169	interface, I. Kitagawa and T. Maruizumi Si/SiO <sub>2</sub> interface attack during metal oxide growth under Iow oxygen pressure, K. Kubo, M. Kiyohara, K. Shimoyama and K. Yamabe	216 (2003) 264 216 (2003) 307
Kamezawa, Y. Morikawa, K. Yoshida, M. Kusaka and M. Iwami Structural study of SiC(0 0 0 1)3 × 3 surface by	216 (2003) 187	Improvement of hot-carrier-reliability by deu- terium termination of Si/SiO <sub>2</sub> interface defects, H. Takahashi and H. Yamada-	210 (2003) 507
surface X-ray diffraction, T. Aoyama, K. Akimoto, A. Ichimiya, Y. Hisada, S. Mukai- nakano, T. Emoto, H. Tajiri, T. Takahashi,		Kaneta Characterization of dielectric properties of ultrathin SiO <sub>2</sub> film formed on Si substrate,	216 (2003) 347
H. Sugiyama, X. Zhang and H. Kawata Ab initio study of 3C-SiC/M (M = Ti or Al) nano-hetero interfaces, S. Tanaka and M.	216 (2003) 356	K. Hirose, H. Kitahara and T. Hattori SiO <sub>2</sub> /SiC interface proved by positron annihi- lation, M. Maekawa, A. Kawasuso, M.	216 (2003) 351
Kohyama  Epitaxial growth of 4H–SiC(0 3 3 8) and control of MOS interface, T. Kimoto, T. Hirao, K. Fujihira, H. Kosugi, K. Danno and	216 (2003) 471	Yoshikawa and H. Itoh Nucleation and growth of nanocrystalline sili- con studied by TEM, XPS and ESR, K. Sato, T. Izumi, M. Iwase, Y. Show, H.	216 (2003) 365
H. Matsunami Initial stage of 3C–SiC growth on Si(001)–2×1 surface using monomethylsilane, Y. Narita,	216 (2003) 497	Morisaki, T. Yaguchi and T. Kamino First-principle theoretical study on the electro- nic properties of SiO <sub>2</sub> models with hydro-	216 (2003) 376
T. Inubushi, M. Harashima, K. Yasui and T. Akahane Radio frequency power dependence of the	216 (2003) 575	genated impurities and charges, K. Doi, K. Nakamura and A. Tachibana Theoretical study on stable structures and dif-	216 (2003) 463
characteristics of 3C-SiC on Si grown by triode plasma CVD using dimethylsilane, K. Yasui, M. Hashiba and T. Akahane		fusion mechanisms of B in SiO <sub>2</sub> , M. Otani, K. Shiraishi and A. Oshiyama	216 (2003) 490
Silicon nitride		Silver	

# Silicon nitride

Electronic structure and energy band offsets for ultrathin silicon nitride on Si(1 0 0), S.

The effect of metals (Au, Ag) and oxidizing ambient on interfacial reactions in Au/Si

and Ag/Si systems, D. Adams, B.A. Julies, 1.W. Mayer and T.L. Alford	216 (2003) 163	CVD method with SF <sub>6</sub> Grading-Doping profile, S. Fujii, S. Hino and T. Kobayashi	216 (2003) 596
Sputter deposition		Superlattices	
Effect of Ni-Cu substrates on phase selection of hexagonal and cubic boron nitride thin films, S. Kotake, T. Hasegawa, K. Kamiya, Y. Suzuki, T. Masui, Y. Kangawa, K. Naka- mura and T. Ito	216 (2003) 72	Decay rates of exciton and phonon-assisted recombination in asymmetric GaAs/AlAs type II superlattices, A.K. Sulaimanov, L.S. Braginsky, A.M. Gilinsky, A.I. Toropov, A.K. Bakarov and K.S. Zhuravlev	216 (2003) 625
Correlation between deposition parameters and structural modification of amorphous car- bon nitride (a-CN <sub>3</sub> ) film in magnetron sput-		Surface diffusion	
tering, HS. Jung and HH. Park Oxygen radical treatment applied to ferroelec- tric thin films, I. Takahashi, H. Sakurai, A. Yamada, K. Funaiwa, K. Hirai, S. Urabe, T. Goto, M. Hirayama, A. Teramoto, S.	216 (2003) 149	Stochastic motion of 7 × 7 kinks at monoa- tomic step edges on the Si(111) surface, T. Fukuda, S. Maeda and H. Nakayama	216 (2003) 30
Sugawa and T. Ohmi Nucleation and growth of nanocrystalline sili-	216 (2003) 239	Surface morphology	
con studied by TEM, XPS and ESR, K. Sato, T. Izumi, M. Iwase, Y. Show, H. Morisaki, T. Yaguchi and T. Kamino	216 (2003) 376	Improved surface morphology of sulfur-doped homoepitaxial diamond films by plasma CVD method with SF <sub>6</sub> Grading-Doping profile, S. Fujii, S. Hino and T. Kobayashi	216 (2003) 596
Sputtering		Surface roughness	
Passivation of defects in polycrystalline Cu <sub>2</sub> O thin films by hydrogen or cyanide treatment, S. Ishizuka, S. Kato, Y. Okamoto, T. Sakurai, K. Akimoto, N. Fujiwara and H. Kobayashi Comparison of thermal and plasma oxidations for HfO <sub>2</sub> /Si interface, S. Hayashi, K. Yamamoto, Y. Harada, R. Mitsuhashi, K. Eriguchi, M. Kubota and M. Niwa	216 (2003) 94 216 (2003) 228	Temperature dependence of flat Ge/Si(0 0 1) heterostructures as observed by CAICISS, R. Tsushima, M. Katayama, T. Fujino, M. Shindo, T. Okuno and K. Oura Growth mechanism of PTO on MgO at initial stage, K. Nishida, K. Shirakata, M. Osada, M. Kakihana and T. Katoda	216 (2003) 19 216 (2003) 323
Strontium		Surfactants	
Oxygen radical treatment applied to ferroelec- tric thin films, I. Takahashi, H. Sakurai, A. Yamada, K. Funaiwa, K. Hirai, S. Urabe, T. Goto, M. Hirayama, A. Teramoto, S.	216 (2003) 239	Temperature dependence of flat Ge/Si(0 0 1) heterostructures as observed by CAICISS. R. Tsushima, M. Katayama, T. Fujino, M. Shindo, T. Okuno and K. Oura	216 (2003) 19
Sugawa and T. Ohmi Study of epitaxial SrTiO <sub>3</sub> (STO) thin films grown on Si(0 0 1)-2 × 1 substrates by molecular beam epitaxy, M.N.K. Bhuiyan,	and tames and	Tantalum Oxygen radical treatment applied to ferroelec-	
A. Matsuda, T. Yasumura, T. Tambo and C. Tatsuyama	216 (2003) 590	tric thin films, I. Takahashi, H. Sakurai, A. Yamada, K. Funaiwa, K. Hirai, S. Urabe, T. Goto, M. Hirayama, A. Teramoto, S. Sugawa and T. Ohmi	216 (2003) 239
Sulphur			
Modification of GaAs and copper surface by the formation of SiO <sub>2</sub> aerogel film as an interlayer dielectric, SW. Park, SB. Jung, MG. Kang, HH. Park and HC. Kim Improved surface morphology of sulfur-doped homoepitaxial diamond films by plasma	216 (2003) 98	Tellurium  Laser-stimulated control of interfaces at grain boundaries in polycrystalline Cd,Hg <sub>1</sub> , Te films, V.A. Gnatyuk, T. Aoki and Y. Hatanaka	216 (2003) 88

Titanium

### Thin films

characteristics of 3C-SiC on Si grown by

triode plasma CVD using dimethylsilane,

K. Yasui, M. Hashiba and T. Akahane

#### Field-induced effects of implanted Ga on high Diffusion barrier properties of nano-crystalline electric field diamond devices fabricated by TiZrN films in Cu/Si contact systems, M.B. focused ion beam, M. Hamada, T. Teraji Takeyama, T. Itoi, E. Aoyagi and A. Noya 216 (2003) 181 and T. Ito 216 (2003) 65 Nano-structure of transition-metal (Ti, Ni)/SiC system: photo-emission electron micro-Effect of Ni-Cu substrates on phase selection of hexagonal and cubic boron nitride thin scopy and soft X-ray fluorescence spectrofilms, S. Kotake, T. Hasegawa, K. Kamiya, scopy, M. Hirai, J.P. Labis, A. Ohi, C. Y. Suzuki, T. Masui, Y. Kangawa, K. Naka-Kamezawa, Y. Morikawa, K. Yoshida, M. mura and T. Ito 216 (2003) 72 Kusaka and M. Iwami 216 (2003) 187 Interface formation and properties of \u03c4-NPD Si/SiO2 interface attack during metal oxide thermally deposited on CVD diamond growth under low oxygen pressure, K. films, M.-S. Chun, T. Teraji and T. Ito 216 (2003) 106 Kubo, M. Kiyohara, K. Shimoyama and Correlation between deposition parameters and K. Yamabe 216 (2003) 307 structural modification of amorphous car-Effects of the substrate on properties of PTO thin film, K. Nishida, G. Matuoka, M. bon nitride (a-CN,) film in magnetron sputtering, H.-S. Jung and H.-H. Park 216 (2003) 149 Osada, M. Kakihana and T. Katoda 216 (2003) 318 Surface and interface study of Cu (film)/SiC Growth mechanism of PTO on MgO at initial (substrate) system, Z. An, M. Hirai, M. stage, K. Nishida, K. Shirakata, M. Osada, 216 (2003) 169 M. Kakihana and T. Katoda 216 (2003) 323 Kusaka and M. Iwami Oxygen radical treatment applied to ferroelec-Real-time monitoring of oxidation on the tric thin films, I. Takahashi, H. Sakurai, A. Ti(0001) surface by synchrotron radiation Yamada, K. Funaiwa, K. Hirai, S. Urabe, T. photoelectron spectroscopy and RHEED-Goto, M. Hirayama, A. Teramoto, S. AES, Y. Takakuwa, S. Ishidzuka, A. Yoshi-Sugawa and T. Ohmi 216 (2003) 239 goe, Y. Teraoka, Y. Yamauchi, Y. Mizuno, An orientation ratio and ferroelectric properties H. Tonda and T. Homma 216 (2003) 395 of ultra-thin PTO films, K. Nishida, T. Ab initio study of 3C-SiC/M (M = Ti or Al) Sugino, M. Osada, M. Kakihana and T. nano-hetero interfaces, S. Tanaka and M. Katoda 216 (2003) 312 216 (2003) 471 Effects of the substrate on properties of PTO Study of epitaxial SrTiO3 (STO) thin films thin film, K. Nishida, G. Matuoka, M. grown on Si(0 0 1)-2 × 1 substrates by Osada, M. Kakihana and T. Katoda 216 (2003) 318 molecular beam epitaxy, M.N.K. Bhuiyan, Growth mechanism of PTO on MgO at initial A. Matsuda, T. Yasumura, T. Tambo and C. stage, K. Nishida, K. Shirakata, M. Osada, Tatsuyama 216 (2003) 590 M. Kakihana and T. Katoda 216 (2003) 323 Characterization of dielectric properties of ultrathin SiO2 film formed on Si substrate, Titanium oxide K. Hirose, H. Kitahara and T. Hattori 216 (2003) 351 Systematic theoretical investigations of misci-An orientation ratio and ferroelectric properties bility in Si<sub>1-x-y</sub>Ge<sub>x</sub>C<sub>y</sub> thin films, T. Ito, K. of ultra-thin PTO films, K. Nishida, T. Nakamura, Y. Kangawa, K. Shiraishi, A. Sugino, M. Osada, M. Kakihana and T. Taguchi and H. Kageshima 216 (2003) 458 216 (2003) 312 Katoda Low-temperature growth of AIN on nearly lattice-matched MnO substrates, S. Ito, H. Fujioka, J. Ohta, A. Sasaki, J. Liu, M. Yoshimoto, H. Koinuma and M. Water 216 (2003) 508 Oshima Growth mechanism in heavily carbon-doped The role of hydrogen migration in negative-bias GaAs, Sb1 grown by MOCVD, Y. Oda, temperature instability, J. Ushio, K. Wata-N. Watanabe, H. Yokoyama and T. Kobayanabe, K. Kushida-Abdelghafar and T. Mar-216 (2003) 532 216 (2003) 258 uizumi Heteroepitaxial growth of InSb films on a Si(0 0 1) substrate via AlSb buffer layer, M. Mori, N. Akae, K. Uotani, N. Fujimoto, X-ray absorption T. Tambo and C. Tatsuyama 216 (2003) 569 Radio frequency power dependence of the

216 (2003) 580

Remote plasma-assisted nitridation (RPN):

and Al2O3, C. Hinkle and G. Lucovsky

applications to Zr and Hf silicate alloys

Band offset energies in zirconium silicate Si alloys, G. Lucovsky, B. Rayner, Y. Zhang, G. Appel and J. Whitten	216 (2003) 215	Radio frequency power dependence of the characteristics of 3C-SiC on Si grown by triode plasma CVD using dimethylsilane, K. Yasui, M. Hashiba and T. Akahane	216 (2003) 580
X-ray diffraction		Study of epitaxial SrTiO <sub>3</sub> (STO) thin films grown on Si(0 0 1)-2 × 1 substrates by molecular beam epitaxy, M.N.K. Bhuiyan, A. Matsuda, T. Yasumura, T. Tambo and C.	
Diffusion barrier properties of nano-crystalline TiZrN films in Cu/Si contact systems, M.B. Takeyama, T. Itoi, E. Aoyagi and A. Noya	216 (2003) 181	Tatsuyama Growth and annealing effect of ferromagnetic	216 (2003) 590
Interface-controlled Gd <sub>2</sub> O <sub>3</sub> /GaAs system for ferroelectric memory application, JK.		(Ga, Mn)As on Si(1 0 0) substrates, N. Uchitomi, S. Sato and Y. Jinbo Growth of β-FeSi <sub>2</sub> on MnSi <sub>1.7</sub> layers by reac-	216 (2003) 607
Yang, W.S. Kim and HH. Park Chemical and electronic structures of Lu <sub>2</sub> O <sub>3</sub> /Si interfacial transition layer, H. Nohira, T.	216 (2003) 203	tive deposition epitaxy, M. Kohira, Y. Souno, T. Matsuyama, H. Tatsuoka, I.J. Ohsugi, I.A. Nishida and H. Kuwabara	216 (2003) 614
Shiraishi, T. Nakamura, K. Takahashi, M. Takeda, S. Ohmi, H. Iwai and T. Hattori Oxygen radical treatment applied to ferroelec-	216 (2003) 234	X-ray scattering	
tric thin films, I. Takahashi, H. Sakurai, A.			
Yamada, K. Funaiwa, K. Hirai, S. Urabe, T. Goto, M. Hirayama, A. Teramoto, S. Sugawa and T. Ohmi An orientation ratio and ferroelectric properties	216 (2003) 239	In situ observation of step-terrace structures on MOVPE grown InP(0 0 1) by using grazing X-ray scattering, T. Kawamura, S. Bhunia, Y. Watanabe, S. Fujikawa, J. Matsui, Y.	
of ultra-thin PTO films, K. Nishida, T. Sugino, M. Osada, M. Kakihana and T. Katoda Effects of the substrate on properties of PTO	216 (2003) 312	Kagoshima and Y. Tsusaka  Composition dependence of InP/ Ga,In <sub>1-x</sub> As,P <sub>1-x</sub> InP interface structures	216 (2003) 361
thin film, K. Nishida, G. Matuoka, M. Osada, M. Kakihana and T. Katoda	216 (2003) 318	analyzed by X-ray CTR scattering measure- ments, M. Tabuchi, H. Kyouzu, M. Takemi and Y. Takeda	216 (2003) 526
Growth mechanism of PTO on MgO at initial stage, K. Nishida, K. Shirakata, M. Osada,	210 (2000) 210		210 (2003) 320
M. Kakihana and T. Katoda Structural study of SiC(0001)3 × 3 surface by	216 (2003) 323	X-ray spectroscopy	
surface X-ray diffraction, T. Aoyama, K. Akimoto, A. Ichimiya, Y. Hisada, S. Mukainakano, T. Emoto, H. Tajiri, T. Takahashi,		Field-induced effects of implanted Ga on high electric field diamond devices fabricated by focused ion beam, M. Hamada, T. Teraji	
H. Sugiyama, X. Zhang and H. Kawata Nucleation and growth of nanocrystalline sili- con studied by TEM, XPS and ESR, K.	216 (2003) 356	and T. Ito Formation of CaMgSi at Ca <sub>2</sub> Si/Mg <sub>2</sub> Si interface, T. Hosono, M. Kuramoto, Y. Matsu-	216 (2003) 65
Sato, T. Izumi, M. Iwase, Y. Show, H. Morisaki, T. Yaguchi and T. Kamino	216 (2003) 376	zawa, Y. Momose, Y. Maeda, T. Matsuyama, H. Tatsuoka, Y. Fukuda, S.	
Real-time measurement of rocking curves dur- ing MOVPE growth of Ga,In <sub>1</sub> ., P/GaAs, S. Bhunia, T. Kawamura, Y. Watanabe, S.	210 (2003) 310	Hashimoto and H. Kuwabara	216 (2003) 620
Fujikawa, J. Matsui, Y. Kagoshima, Y. Tsu- saka, K. Uchida, N. Sugiyama, M. Furiya,		Zinc oxide	
S. Nozaki and H. Morisaki Characteristics of ZnO whiskers prepared from	216 (2003) 382	Characteristics of ZnO whiskers prepared from organic-zinc, J. Kubota, K. Haga, Y. Kashi-	
organic-zinc, J. Kubota, K. Haga, Y. Kashi- waba, H. Watanabe, B.P. Zhang and Y. Segawa	216 (2003) 431	waba, H. Watanabe, B.P. Zhang and Y. Segawa	216 (2003) 431
Composition dependence of InP/	210 (2003) 431	Zirconium	
Ga,In <sub>1-x</sub> As,P <sub>1-x</sub> /InP interface structures analyzed by X-ray CTR scattering measure- ments, M. Tabuchi, H. Kyouzu, M. Takemi		Remote plasma-assisted nitridation (RPN):	
and Y. Takeda  Heteroepitaxial growth of InSb films on a Si(0 0 1) substrate via AlSb buffer layer,	216 (2003) 526	applications to Zr and Hf silicate alloys and Al <sub>2</sub> O <sub>3</sub> , C. Hinkle and G. Lucovsky Diffusion barrier properties of nano-crystalline	216 (2003) 124
M. Mori, N. Akae, K. Uotani, N. Fujimoto, T. Tambo and C. Tatsuyama	216 (2003) 569	TiZrN films in Cu/Si contact systems, M.B. Takeyama, T. Itoi, E. Aoyagi and A. Noya	216 (2003) 181

Band offset energies in zirconium silicate Si alloys, G. Lucovsky, B. Rayner, Y. Zhang, G. Appel and J. Whitten

216 (2003) 215

Diffusion and incorporation of Zr into thermally grown SiO<sub>2</sub> on Si(1 0 0), M, Yamaoka, H. Murakami and S. Miyazaki

